

Collecting sites of soil zoological trips by the Hungarian Natural History Museum and the Hungarian Academy of Sciences to Greece, between 2006 and 2013

D. MURÁNYI¹ & J. KONTSCHÁN²

¹Dr. Dávid Murányi, Department of Zoology, Hungarian Natural History Museum, H-1088 Budapest, Baross u. 13, Hungary, E-mail: muranyi@zool.nhmus.hu

²Dr. Jenő Konthán, Plant Protection Institute, Centre for Agricultural Research, Hungarian Academy of Sciences, H-1525 Budapest, P.O. Boksz 102, Hungary and Department of Zoology and Animal Ecology, Szent István University, Gödöllő, Páter Károly str. 1, H-2100, Hungary.
E-mail: konthan.jeno@agrar.mta.hu

Abstract. The Greek locality data of soil zoological collecting sites by the Hungarian Natural History Museum and the Hungarian Academy of Sciences during 8 trips to the Balkans between 2006 and 2013 are enumerated. The localities are given in chronological order. Methods of collectings, and literature where the materials were published given after the locality data; the localities are depicted on the map of Greece. New taxa described on the basis of these materials are also reported.

Keywords. Greece, Balkans, faunistics, collections, localities, type localities, list

INTRODUCTION

Being one of the most complex and species rich area in the Mediterranean, the fauna of Greece is continuously studied by many nations in most animal groups (Malicky 2005). Traditions of the Hungarian Natural History Museum and the Hungarian Academy of Sciences in exploration of the Greek fauna dates back to the turn of the Twentieth Century, when the first collecting tour by Lajos Bíró was led to Crete (Kuthy 1907). During the last eight years, we continued this research with extensive soil zoological collectings in different part of mainland Greece and the Greek Islands. Of the material gathered during our recent trips, the following groups were hitherto partly or entirely published: Oligochaeta: Lumbricidae (Szederjesi & Csuzdi 2012), Mollusca: Gastropoda (Erőss *et al.* 2011, Fehér *et al.* 2010), Diplopoda (Lazányi *et al.* 2012), Acari: Oribatida (Mahunka & Mahunka-Papp 2010), Uropodina (Kontschán 2010, 2013), Zerconidae (Ujvári 2011), Opiliones (Murányi 2013a), Collembola (Dányi 2010, 2013), Insecta: Odonata (Lopau

2010), Plecoptera (Kovács & Murányi 2008, Kovács *et al.* 2012, Murányi 2007, 2011), Embidiina (Murányi 2013b), Dermaptera (Murányi 2013b), Isoptera (Murányi 2013b), Psocoptera (Sziráki 2013), Trichoptera (Oláh 2010), Diptera (Papp 2010) and Crustacea: Isopoda (Schmalfuss 2008, 2010).

MATERIALS AND METHODS

Herein are enumerated our soil zoological collecting sites and those of our collaborators taken in Greece between 2006 and 2013. These include the data of 8 Balkan trips, wholly or partly to Greece. Sites of the Albanian tours were already published in similar format in Murányi *et al.* (2011). The localities are given in chronological order, as the followings: region, regional unit, mountains, settlement, locality and habitat, date, (locality code used during the collectings), geocoordinate, elevation, methods of collecting, (literature wherethe materials were already published). The localities are depicted on the map of Greece (Figs. 1–4). A list of new taxa described upon the

materials collected during the present tours follow the list of localities, with locality numbers referring to their type localities.

LIST OF LOCALITIES

12–15.05.2006 (leg. László Dányi, Jenő Kentschán, Dávid Murányi)

1: Epirus region, Ioannina peripheral unit, Kalpaki, Vellas Monasteri, karst spring and its outlet in secondary macchia forest, 12.05.2006 (2006/96), N39°51.950' E20°37.435', 420 m; singled, beaten, waternet, soil sample (Kentschán 2010, Lopau 2010, Oláh 2010, Schmalfuss 2010, Szederjesi & Csuzdi 2012).

2: Epirus region, Ioannina peripheral unit, Klimatia, rocky grassland E of the village, 12.05.2006 (2006/97), N39°41.717' E20°42.217', 640 m; singled, soil sample (Szederjesi & Csuzdi 2012).

3: Epirus region, Ioannina peripheral unit, Agios Georgios, gallery forest and Tiria River E of the village, 12.05.2006 (2006/98), N39°39.400' E20°33.378', 110 m; singled, beaten, waternet, sweeping net, soil sample (Lopau 2010).

4: Epirus region, Thesprotia peripheral unit, Petrovitsa, gorge below the village, 12.05.2006 (2006/99), N39°33.475' E20°28.130', 315 m; singled, beaten, waternet, soil sample (Mahunka & Mahunka-Papp 2010, Oláh 2010, Szederjesi & Csuzdi 2012, Ujvári 2011).

5: Epirus region, Ioannina peripheral unit, Kato Zalogo, oak forest above the village, 12.05.2006 (2006/100), N39°37.248' E20°31.355', 360 m; singled, soil sample (Lazányi *et al.* 2012, Murányi 2013b, Ujvári 2011).

6: Epirus region, Ioannina peripheral unit, Souloupolo, Smolitsas River before its confluence with Thyamis River, NE of the village, 12.05.2006 (2006/101), N39°43.053' E20°36.645', 170 m; singled, beaten, waternet (Murányi 2013b, Oláh 2010).

7: Epirus region, Ioannina peripheral unit, Votosoni, stream and its plane tree gallery W of the village, 13.05.2006 (2006/102), N39°45.965' E21°05.838', 660 m; singled, beaten, waternet,

soil sample (Fehér *et al.* 2010, Lazányi *et al.* 2012, Murányi 2013b).

8: Epirus region, Ioannina peripheral unit, Metsovo, Spring 'Metzovou 1987', its outlet brook and forest edge W of the city, 13.05.2006 (2006/103), N39°45.277' E21°08.940', 1025 m; singled, beaten, waternet, sweeping net, soil sample (Lopau 2010, Oláh 2010, Ujvári 2011).

9: Epirus region, Ioannina peripheral unit, Metsovo, occupied spring on the central square, 13.05.2006 (2006/104A), N39°46.192' E21°10.993', 1150 m; singled.

10: Epirus region, Ioannina peripheral unit, Metsovo, Metsovo Stream below the city, 13.05.2006 (2006/104B), N39°46.162' E21°11.435', 990 m; singled, beaten, waternet.

11: Epirus region, Ioannina peripheral unit, Metsovo, beech forest above the city, 13.05.2006 (2006/105), N39°46.647' E21°10.207', 1345 m; singled, soil sample (Schmalfuss 2008, Szederjesi & Csuzdi 2012).

12: Epirus region, Ioannina peripheral unit, Metsovo, open brook, beech forest and subalpine grassland at the Katara Pass, 13.05.2006 (2006/106), N39°46.878' E21°09.610', 1400 m; singled, beaten, waternet, sweeping net, sweeping net sample (subalpine grassland and brookshore vegetation).

13: Thessaly region, Trikala peripheral unit, Panagia, clear of a pine forest W of the village, 13.05.2006 (2006/107), N39°48.245' E21°17.762', 1180 m; plancton sample, soil sample (small pond in a clear of a pine forest).

14: Thessaly region, Trikala peripheral unit, Koridallos, oak forest W of the village, 13.05.2006 (2006/108), N39°48.545' E21°19.658', 775 m; singled.

15: Thessaly region, Trikala peripheral unit, Mikani, Mikani River and its plane tree gallery S of the village, 13.05.2006 (2006/109), N39°47.457' E21°31.772', 310 m; singled, beaten, waternet.

16: West Macedonia region, Grevena peripheral unit, Anixi, stream in an oak forest S of the village, 13.05.2006 (2006/110), N39°53.775' E21°33.883', 555 m; singled, beaten, waternet (Lopau 2010).

- 17: West Macedonia region, Grevena peripheral unit, Eleftherochori, Venetikos River N of the village, 13.05.2006 (2006/111), N40°03.110' E21°28.837', 475 m; singled, beaten, water net, soil sample (Kovács *et al.* 2012: Fig. 23).
- 18: West Macedonia region, Grevena peripheral unit, Zakas, Venetikos River and its gallery forest NE of the village, 14.05.2006 (2006/112), N40°02.322' E21°17.320', 700 m; singled, beaten, water net (Kovács *et al.* 2012: Fig. 24, Lazányi *et al.* 2012, Lopau 2010).
- 19: West Macedonia region, Grevena peripheral unit, Polineri, roadside bush E of the village, 14.05.2006 (2006/113), N40°03.233' E21°14.530', 875 m; singled.
- 20: West Macedonia region, Grevena peripheral unit, Aetia, Filippaioi River and its gorge SE of the village, 14.05.2006 (2006/114), N40°04.465' E21°12.100', 975 m; singled, beaten, water net, soil sample (Kovács *et al.* 2012: Fig. 22, Szederjesi & Csuzdi 2012).
- 21: West Macedonia region, Grevena peripheral unit, Smolikas Mts, Samarina, Samarina Stream at the village, 14.05.2006 (2006/115), N40°06.462' E21°01.270', 1410 m; singled, beaten, water net (Schmalfuss 2008).
- 22: West Macedonia region, Grevena peripheral unit, Smolikas Mts, Samarina, open stream and alpine grassland N of the village, 14.05.2006 (2006/116), N40°06.988' E21°00.373', 1480 m; singled, beaten, water net, soil sample.
- 23: West Macedonia region, Kozani peripheral unit, Neapoli, Aliakmonas River and its shore dunes NE of the city, 14.05.2006 (2006/117), N40°19.953' E21°24.702', 560 m; singled, beaten, water net, soil sample (Kovács & Murányi 2008, Lopau 2010).
- 24: West Macedonia region, Kozani peripheral unit, Kaloneri, coffee bar E of the village, 14.05.2006 (2006/117A), N40°17.601' E21°30.071', 660 m; singled.
- 25: West Macedonia region, Kastoria peripheral unit, Verga, brook in oak forest NE of the village, 14.05.2006 (2006/118), N40°33.452' E21°27.040', 980 m; singled, beaten, water net, soil sample.
- 26: West Macedonia region, Kastoria peripheral unit, Vissinea, stream and its alder gallery S of the village, 15.05.2006 (2006/119), N40°36.532' E21°18.225', 850 m; singled, beaten, water net, plancton sample (puddles in alder wood), soil sample (Kentschán 2010).
- 27: West Macedonia region, Florina peripheral unit, Kotas, small, open river and oak forest S of the village, 15.05.2006 (2006/120), N40°39.030' E21°10.655', 835 m; singled, beaten, water net, sweeping net, soil sample (Mahunka & Mahunka-Papp 2010).
- 28: West Macedonia region, Florina peripheral unit, Agios Achillios, Prespa Lake and its shore vegetation at the settlement, 15.05.2006 (2006/121), N40°48.942' E21°05.075', 855 m; singled, beaten, water net, sweeping net, sweeping net sample (lakeshore dry grassland) (Lopau 2010, Oláh 2010).
- 29: West Macedonia region, Florina peripheral unit, Karies, spring in an oak forest E of the village, 15.05.2006 (2006/122), N40°45.302' E21°10.122', 990 m; singled, soil sample.
- 30: West Macedonia region, Florina peripheral unit, Trigono, stream in a meadow N of the village, 15.05.2006 (2006/123), N40°44.975' E21°11.913', 995 m; singled, beaten, water net.
- 31: West Macedonia region, Florina peripheral unit, Verno Mts, Pisoderi, stream in a beech forest W of the village, 15.05.2006 (2006/124), N40°47.275' E21°13.445', 1315 m; singled, beaten, water net, soil sample (Murányi 2007, Papp 2010: Fig. 61, Szederjesi & Csuzdi 2012).
- 32: West Macedonia region, Florina peripheral unit, Florina, brook in an oak forest N (above) of the city, 15.05.2006 (2006/125), N40°48.042' E21°23.272', 920 m; singled, beaten, water net, soil sample (Szederjesi & Csuzdi 2012).

30.03–05.04.2007 (leg. Zoltán Erőss, Zoltán Fehér, László Dányi, Jenő Kentschán, Dávid Murányi)

- 33: Central Macedonia region, Serres peripheral unit, Kerkini Mts, Ano Poroia, stream and springs in a plane tree forest N (above) of the village, 30.03.2007 (2007/3), N41°17.637' E23°02.187', 510 m; singled, beaten, water net (Murányi 2013b, Oláh 2010, Szederjesi & Csuzdi 2012).

- 34: Central Macedonia region, Serres peripheral unit, Neo Petrisi, Strimonas River, grass-

land and limestone rocks at Loutra Sidirokastrou, 30.03.2007 (2007/4), N41°17.000' E23°19.994', 75 m; singled, waternet, soil sample (Murányi 2013b, Ujvári 2011).

35: Central Macedonia region, Serres peripheral unit, Orvilos Mts, Agkistro, thermal spring outlet and ruderal bush at Loutra Angistrou, 30.03.2007 (2007/5), N41°22.083' E23°25.651', 285 m; singled, beaten, waternet.

36: Central Macedonia region, Serres peripheral unit, Orvilos Mts, Agkistro, rocky forest NE of the village, 30.03.2007 (2007/6), N41°23.936' E23°30.321', 660 m; singled, beaten, soil sample (Kontschán 2010, Szederjesi & Csuzdi 2012, Ujvári 2011).

37: Central Macedonia region, Serres peripheral unit, Orvilos Mts, Agkistro, forest brook NE of the village, 30.03.2007 (2007/7), N41°23.578' E23°28.659', 370 m; singled, beaten, waternet (Lazányi *et al.* 2012, Szederjesi & Csuzdi 2012).

38: Central Macedonia region, Serres peripheral unit, Vrondous Mts, pine forest at the Lailias mountain hut, 30.03.2007 (2007/8), N41°15.310' E23°35.286', 1500 m; singled, soil sample (Kontschán 2010, Szederjesi & Csuzdi 2012).

39: Central Macedonia region, Serres peripheral unit, Vrondous Mts, Ano Orini, temporary brook in an open bush W of the village, 30.03.2007 (2007/9), N41°12.343' E23°34.477', 885 m; singled, beaten, waternet.

40: Central Macedonia region, Serres peripheral unit, Vrondous Mts, Angistrou, rocky forest along the Serres–Kato Vrondou road, 30.03.2007 (2007/10), N41°12.319' E23°38.627', 925 m; singled (Szederjesi & Csuzdi 2012).

41: Central Macedonia region, Serres peripheral unit, Vrondous Mts, Ano Vrondou, stream and its alder gallery S of the village, 30.03.2007 (2007/11), N41°14.229' E23°40.175', 895 m; singled, beaten, waternet (Lazányi *et al.* 2012).

42: Central Macedonia region, Serres peripheral unit, Vrondous Mts, Ano Vrondou, brook in a beech forest S of the village, 30.03.2007 (2007/12), N41°14.722' E23°40.513', 915 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012, Ujvári 2011).

43: East Macedonia and Thrace region, Drama peripheral unit, Orvilos Mts, Katafyto, stream in

alder gallery, and limestone rocks W of the village, 31.03.2007 (2007/13), N41°20.725' E23°40.463', 825 m; singled, beaten, waternet, soil sample (Kontschán 2013, Szederjesi & Csuzdi 2012, Ujvári 2011).

44: East Macedonia and Thrace region, Drama peripheral unit, Orvilos Mts, Katafyto, Katafyto Lake, inflow brook and secondary forest SW of the village, 31.03.2007 (2007/14), N41°20.257' E23°39.664', 900 m; singled, beaten, waternet, plancton sample (shallow, boggy shore water of Katafyto Lake), soil sample (Szederjesi & Csuzdi 2012, Ujvári 2011).

45: East Macedonia and Thrace region, Drama peripheral unit, Ochiro, marble quarry S of the village, 31.03.2007 (2007/15), N41°17.080' E23°51.314', 590 m; singled, plancton sample (shallow, temporary puddle in the strip pit).

46: East Macedonia and Thrace region, Drama peripheral unit, Aggitis, Maara Cave, its emergent river and rocky macchia N of the village, 31.03.2007 (2007/16), N41°13.266' E23°53.590', 135 m; singled, beaten, waternet (Lazányi *et al.* 2012).

47: East Macedonia and Thrace region, Drama peripheral unit, Falakro Mts, rocky alpine grassland below the ski centre, 31.03.2007 (2007/17), N41°17.373' E24°01.631', 1350 m; singled, soil sample (Ujvári 2011).

48: East Macedonia and Thrace region, Drama peripheral unit, Falakro Mts, beech forest below the ski centre, 31.03.2007 (2007/18), N41°17.582' E24°00.422', 1185 m; singled, beaten, soil sample (Kontschán 2010, 2013, Szederjesi & Csuzdi 2012, Ujvári 2011).

49: East Macedonia and Thrace region, Drama peripheral unit, Mikroklirosa, stream in a secondary forest W of the village, 31.03.2007 (2007/19), N41°22.717' E24°02.139', 480 m; singled, beaten, waternet (Lopau 2010).

50: East Macedonia and Thrace region, Drama peripheral unit, Potami, secondary vegetation on the shore of Nestos Lake SW of the village, 31.03.2007 (2007/20), N41°23.253' E24°04.825', 405 m; singled.

51: East Macedonia and Thrace region, Drama peripheral unit, Dik-Rodopi Mts, Mikromilia, forest stream S of the village, 31.03.2007 (2007/21), N41°23.326' E24°10.078', 430 m; singled, beat-

en, waternet, soil sample (Kontschán 2010, Ujvári 2011).

52: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Sidironero, balcony of Hotel Druades, 31.03.2007 (2007/22), N41°22.115' E24°13.976', 655 m; singled, light trap.

53: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Kalikarpos, small gorge with secondary forest N of the village, 01.04.2007 (2007/23), N41°25.682' E24°13.093', 735 m; singled.

54: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Kalikarpos, torrent in beech forest N of the village, 01.04.2007 (2007/24), N41°27.033' E24°14.817', 750 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

55: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Kalikarpos, stream in beech forest N of the village, 01.04.2007 (2007/25), N41°27.959' E24°14.389', 870 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012, Ujvári 2011).

56: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Elatia, Karandere Forest, brook in pine wood NW of the settlement, 01.04.2007 (2007/26), N41°30.378' E24°16.784', 1395m; singled, beaten, waternet (Sziráki 2013).

57: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Skalot, brook in a beach forest NE of the village, 01.04.2007 (2007/27), N41°27.004' E24°18.342', 1530 m; singled, waternet.

58: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Skalot, small brook in a secondary forest N (above) of the village, 01.04.2007 (2007/28), N41°25.009' E24°17.155', 1030 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

59: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Sidironero, Miloi Stream in secondary forest SE of the village, 01.04.2007 (2007/29), N41°21.223' E24°16.286', 525m; singled, beaten, waternet (Lazányi *et al.* 2012, Murányi 2013b, Szederjesi & Csuzdi 2012).

60: East Macedonia and Thrace region, Drama peripheral unit, Dit-Rodopi Mts, Dichali, Georu-

adi Stream and its gorge E of the settlement, 01.04.2007 (2007/30), N41°21.923' E24°19.483', 515 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

61: East Macedonia and Thrace region, Drama peripheral unit, Tholos, rocks above the Arkoudorema River N of the village, 01.04.2007 (2007/31), N41°18.584' E24°30.396', 180 m; singled (Lazányi *et al.* 2012, Szederjesi & Csuzdi 2012).

62: East Macedonia and Thrace region, Kavala peripheral unit, Lekanis Mts, Kechrokambos, rocky pasture N of the village, 02.04.2007 (2007/32), N41°09.972' E24°38.587', 370 m; singled (Lazányi *et al.* 2012, Szederjesi & Csuzdi 2012).

63: East Macedonia and Thrace region, Kavala peripheral unit, Lekanis Mts, Kechrokambos, quarry W (above) of the village, 02.04.2007 (2007/33), N41°09.524' E24°36.549', 670 m; singled, beaten (Lazányi *et al.* 2012).

64: East Macedonia and Thrace region, Kavala peripheral unit, Lekanis Mts, Makrichori, quarry SE of the village, 02.04.2007 (2007/34), N41°02.109' E24°37.941', 230 m; singled (Lazányi *et al.* 2012, Murányi 2013b).

65: East Macedonia and Thrace region, Kavala peripheral unit, Lekanis Mts, Zarkadia, limestone rocks N (above) of the village, 02.04.2007 (2007/35), N41°01.625' E24°38.168', 340 m; singled.

66: East Macedonia and Thrace region, Kavala peripheral unit, Lekanis Mts, Zarkadia, macchia at the village, 02.04.2007 (2007/36), N41°01.400' E24°38.507', 200 m; singled, beaten (Lazányi *et al.* 2012, Murányi 2013b).

67: East Macedonia and Thrace region, Kavala peripheral unit, Nestos Delta, Nea Karia, irrigation channel SE of the village, 02.04.2007 (2007/37), N40°53.455' E24°44.406', 5 m; singled, waternet (Lazányi *et al.* 2012, Murányi 2013b, Oláh 2010).

68: East Macedonia and Thrace region, Kavala peripheral unit, Nestos Delta, shallow floodplain pond in a poplar forest, 02.04.2007 (2007/38), N40°52.313' E24°47.453', 10m; waternet, plancton sample (shallow floodplain pond) (Szederjesi & Csuzdi 2012).

69: East Macedonia and Thrace region, Kavala peripheral unit, Nestos Delta, Aegean Sea coastal puddles and open sand vegetation, 02.04.2007

(2007/39), N40°50.907' E24°47.960', 5 m; singled, waternet, sweeping net, plancton sample (temporary brackish puddles on sandy grassland), sweeping net sample (coastal sand vegetation) (Murányi 2013b).

70: East Macedonia and Thrace region, Kavala peripheral unit, Chrisoupoli, Nestos River and its softwood gallery E of the city, 02.04.2007 (2007/40), N40°59.458' E24°44.579', 30 m; singled, beaten, waternet (Lazányi *et al.* 2012, Murányi 2013b, Oláh 2010).

71: East Macedonia and Thrace region, Xanthi peripheral unit, Galani, quarry above the Nestos River, W of the village, 02.04.2007 (2007/41), N41°05.595' E24°46.278', 60 m; singled, beaten (Lazányi *et al.* 2012, Murányi 2013b).

72: East Macedonia and Thrace region, Xanthi peripheral unit, Toxotes, pension on the edge of the village, 02.04.2007 (2007/42), N41°05.140' E24°47.222', 85 m; singled, light trap.

73: East Macedonia and Thrace region, Xanthi peripheral unit, Eora, small river and limestone rocks NW of the village, 03.04.2007 (2007/43), N41°12.495' E24°51.752', 200 m; singled, beaten, waternet (Lazányi *et al.* 2012, Murányi 2013b, Lopau 2010).

74: East Macedonia and Thrace region, Xanthi peripheral unit, Koula Mts, Kiknos, spring in macchia S of the village, 03.04.2007 (2007/44), N41°15.324' E24°52.359', 560 m; singled, waternet.

75: East Macedonia and Thrace region, Xanthi peripheral unit, Koula Mts, Oreo, Aspro Stream and its gallery forest E of the village, 03.04.2007 (2007/45), N41°16.369' E24°51.275', 550m; singled, beaten, waternet, soil sample (Lopau 2010, Oláh 2010, Szederjesi & Csuzdi 2012, Ujvári 2011).

76: East Macedonia and Thrace region, Xanthi peripheral unit, Koula Mts, Oreo, limestone rocks and beech forest N (above) of the village, 03.04.2007 (2007/46), N41°17.511' E24°49.743', 975 m; singled.

77: East Macedonia and Thrace region, Xanthi peripheral unit, Koula Mts, Oreo, limestone gorge with beech forest NE of the village, 03.04.2007 (2007/47), N41°17.485' E24°50.767', 820 m;

singled, soil sample (Szederjesi & Csuzdi 2012, Ujvári 2011).

78: East Macedonia and Thrace region, Xanthi peripheral unit, Koula Mts, Oreo, cave and spring brooks in a gorge NE of the village, 03.04.2007 (2007/47A), N41°17.620' E24°50.656', 875 m; singled, beaten, waternet.

79: East Macedonia and Thrace region, Xanthi peripheral unit, Kamertsi Mts, Miki, limestone gorge with a torrent W of the village, 03.04.2007 (2007/48), N41°14.728' E24°54.273', 310 m; singled, beaten, waternet (Lazányi *et al.* 2012, Lopau 2010).

80: East Macedonia and Thrace region, Xanthi peripheral unit, Kamertsi Mts, Miki, limestone gorge with a stream W (below) of the village, 03.04.2007 (2007/49), N41°14.804' E24°54.822', 340m; singled, beaten, waternet, sweeping net (Szederjesi & Csuzdi 2012).

81: East Macedonia and Thrace region, Xanthi peripheral unit, Lagos, Vistonida Lake and lake-shore halophyte grassland with puddles N of the village, 04.04.2007 (2007/50), N41°00.888' E25°06.839', 5 m; singled, waternet, plancton sample (puddles on halophyte grassland) (Lazányi *et al.* 2012, Murányi 2013b).

82: East Macedonia and Thrace region, Rhodope peripheral unit, Papikio Mts, Sostis, brook in a secondary forest N of the village, 04.04.2007 (2007/51), N41°09.859' E25°16.939', 440 m; singled, beaten, waternet, soil sample (Lazányi *et al.* 2012, Ujvári 2011).

83: East Macedonia and Thrace region, Rhodope peripheral unit, Papikio Mts, Kerasia, temporary brook and limestone rocks at the village, 04.04.2007 (2007/52), N41°10.905' E25°16.871', 580 m; singled, beaten, waternet.

84: East Macedonia and Thrace region, Rhodope peripheral unit, Papikio Mts, Vronti, stream and its gorge S of the village, 04.04.2007 (2007/53), N41°11.421' E25°17.693', 425 m; singled, beaten, waternet (Murányi 2013b, Oláh 2010).

85: East Macedonia and Thrace region, Rhodope peripheral unit, Papikio Mts, Vronti, karst cave spring S of the village, 04.04.2007 (2007/54), N41°11.412' E25°17.752', 445 m; singled, beaten, waternet (Oláh 2010).

86: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Nea Sanda, river and rocky forest E of the village, 04.04.2007 (2007/55), N41°06.845' E25°50.328', 275 m; singled, beaten, waternet (Lopau 2010).

87: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Nea Sanda, forest brook and oak forest NE of the village, 04.04.2007 (2007/56), N41°07.672' E25°53.223', 650 m; singled, beaten, waternet, soil sample (Erőss *et al.* 2011, Kentschán 2010, 2013, Murányi 2013b, Oláh 2010, Szederjesi & Csuzdi 2012).

88: East Macedonia and Thrace region, Evros peripheral unit, Lesitse Mts, Avas (Avantas), stream and limestone rocks N (above) of the village, 05.04.2007 (2007/57), N40°56.268' E25°54.792', 95 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

89: East Macedonia and Thrace region, Evros peripheral unit, Mesimvria, sandy seashore at the Mesimvria Archeological Zone, W of the village, 05.04.2007 (2007/58), N40°51.692' E25°38.721', 5 m; singled (Murányi 2013b, Szederjesi & Csuzdi 2012).

90: East Macedonia and Thrace region, Rhodope peripheral unit, Maronia Hills, Petritis (Petrota), rocky grassland W (above) of the village, 05.04.2007 (2007/59), N40°54.080' E25°36.348', 220 m; singled (Murányi 2013b).

91: East Macedonia and Thrace region, Rhodope peripheral unit, Maronia Hills, Maronia, rocky macchia at the Maronia Cave, NW of the village, 05.04.2007 (2007/60), N40°55.732' E25°30.138', 165 m; singled, beaten (Murányi 2013b).

14–15.03.2008 (leg. Szilvia Czigány, Dávid Murányi)

92: Epirus region, Ioannina peripheral unit, Limni, oak forest SW of the village, 14.03.2008 (2008/28), N39°54.115' E20°31.378', 475 m; singled, beaten, soil sample (sifted oak litter).

93: Epirus region, Ioannina peripheral unit, Klidonia, Voidomatis River and its plane tree gallery SW of the village, 14.03.2008 (2008/29), N39°58.376' E20°39.555', 405 m; singled, beat-

en, waternet, soil sample (soil and moss), (Mahunka & Mahunka-Papp 2010, Oláh 2010).

94: West Macedonia region, Kozani peripheral unit, Agia Sotira, temporary brook in open oak forest SW of the village, 14.03.2008 (2008/30), N40°11.679' E21°10.353', 780 m; singled, waternet, soil sample (sifted oak litter and soil) (Kentschán 2013, Szederjesi & Csuzdi 2012).

95: West Macedonia region, Kozani peripheral unit, Neapoli, Aliakmonas River NE of the city, 14.03.2008 (2008/31), N40°19.953' E21°24.702', 560 m; singled, beaten, waternet.

96: West Macedonia region, Florina peripheral unit, Lechovo, open oak forest S of the village, 15.03.2008 (2008/32), N40°34.049' E21°30.051', 1005 m; singled, soil sample (oak litter).

97: Central Macedonia region, Kilkis peripheral unit, Polykastro, Axios River W of the city, 15.03.2008 (2008/33), N40°59.246' E22°33.523', 30 m; singled, waternet.

02–09.04.2009 (leg. László Dányi, Jenő Kentschán, Dávid Murányi)

98: Peloponnese region, Arcadia peripheral unit, Garea, open wood and permanent puddle E of the village, 02.04.2009 (2009/1), N37°26.576' E22°27.467', 680 m; singled, beaten, plancton sample (permanent puddle in open wood), soil sample (Lazányi *et al.* 2012, Szederjesi & Csuzdi 2012).

99: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Mesorrahí, stream and its gorge with chestnut-oak forest SW of the village, 02.04.2009 (2009/2), N37°22.222' E22°32.121', 900 m; singled, beaten, waternet, soil sample (Kentschán 2010, 2013).

100: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Kastri, spring and spring brook SW of the village, 02.04.2009 (2009/3), N37°21.381' E22°31.748', 960 m; singled, beaten, waternet.

101: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Elatos, chestnut forest W of the village, 02.04.2009 (2009/4), N37°20.909' E22°32.169', 1005 m; singled (Murányi 2013b, Szederjesi & Csuzdi 2012).

- 102: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Agios Petros, stream and open forest W of the village, 02.04.2009 (2009/5), N $37^{\circ}19.659'$ E $22^{\circ}31.860'$, 950 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).
- 103: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Platanos, open brook and rocky grassland N of the village, 02.04.2009 (2009/6), N $37^{\circ}20.202'$ E $22^{\circ}39.239'$, 580 m; singled, beaten, waternet, litter hoover sample (rocky grassland).
- 104: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Platanos, pine forest NW of the village, 02.04.2009 (2009/7), N $37^{\circ}20.128'$ E $22^{\circ}38.699'$, 545 m; singled.
- 105: Peloponnese region, Arcadia peripheral unit, Parnon Mts, Sitenia, brook and its shore bush in the village, 02.04.2009 (2009/8), N $37^{\circ}17.477'$ E $22^{\circ}38.872'$, 630 m; singled, beaten, waternet.
- 106: Peloponnese region, Laconia peripheral unit, Geraki, walls of a motel, 03.04.2009 (2009/9), N $36^{\circ}59.659'$ E $22^{\circ}42.171'$, 335 m; singled.
- 107: Peloponnese region, Laconia peripheral unit, Peristeri, macchia N of the village, 03.04.2009 (2009/10), N $36^{\circ}53.226'$ E $22^{\circ}40.251'$, 435 m; singled (Murányi 2013b, Szederjesi & Csuzdi 2012).
- 108: Peloponnese region, Laconia peripheral unit, Skala, Evrotas River and the shore vegetation at the city, 03.04.2009 (2009/11), N $36^{\circ}51.279'$ E $22^{\circ}40.521'$, 10 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).
- 109: Peloponnese region, Laconia peripheral unit, Trinisa, sandy seashore and mouth section of a stream at the village, 03.04.2009 (2009/12), N $36^{\circ}48.251'$ E $22^{\circ}37.086'$, 0 m; singled, waternet, soil sample (Kontschán 2010).
- 110: Peloponnese region, Laconia peripheral unit, Valtaki, brackish puddle and wet pasture by the sea, at the village, 03.04.2009 (2009/13), N $36^{\circ}47.561'$ E $22^{\circ}35.446'$, 5 m; singled, sweeping net, plancton sample (brackish puddle).
- 111: Peloponnese region, Laconia peripheral unit, Gytheio, seaside karst spring and macchia N of the city, 03.04.2009 (2009/14), N $36^{\circ}46.440'$ E $22^{\circ}33.856'$, 0 m; singled, waternet.
- 112: Peloponnese region, Laconia peripheral unit, Chania, woody pasture S of the village,
- 03.04.2009 (2009/15), N $36^{\circ}51.722'$ E $22^{\circ}31.720'$, 190 m; singled.
- 113: Peloponnese region, Laconia peripheral unit, Chania, olive grove S of the village, 03.04.2009 (2009/16), N $36^{\circ}52.690'$ E $22^{\circ}31.465'$, 205 m; singled, sweeping net, litter hoover sample (undergrowth of olive stands).
- 114: Peloponnese region, Laconia peripheral unit, Potamia, stream and its plane tree gallery SE of the village, 03.04.2009 (2009/17), N $36^{\circ}55.332'$ E $22^{\circ}29.877'$, 220 m; singled, beaten, waternet (Murányi 2013b).
- 115: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Krioneri (Poliana), pine-spruce forest at the settlement, 03.04.2009 (2009/18), N $36^{\circ}58.056'$ E $22^{\circ}23.446'$, 860 m; singled, soil sample.
- 116: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Krioneri (Poliana), Varbaras Stream and its mixed gallery W (above) of the settlement, 03.04.2009 (2009/19), N $36^{\circ}57.952'$ E $22^{\circ}22.884'$, 985 m; singled, beaten, waternet, soil sample (Kontschán 2010, Szederjesi & Csuzdi 2012).
- 117: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Krioneri (Poliana), brook and conifer-plane tree forest NW (above) of the settlement, 03.04.2009 (2009/20), N $36^{\circ}58.588'$ E $22^{\circ}22.898'$, 1130 m; singled, beaten.
- 118: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Krioneri (Poliana), stream in an open coniferous wood NW (above) of the settlement, 03.04.2009 (2009/21), N $36^{\circ}58.739'$ E $22^{\circ}22.478'$, 1270 m; singled, beaten, waternet.
- 119: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Krioneri (Poliana), spring in alpine grassland NW (above) of the settlement, 03.04.2009 (2009/22), N $36^{\circ}58.973'$ E $22^{\circ}22.567'$, 1295 m; singled.
- 120: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Toriza, brook and chestnut forest in the village, 03.04.2009 (2009/23), N $36^{\circ}57.845'$ E $22^{\circ}24.273'$, 780 m; singled, beaten, waternet.
- 121: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Mystras, stream and its plane tree gallery in the city, 04.04.2009 (2009/24), N $37^{\circ}04.192'$ E $22^{\circ}22.305'$, 310 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012).

122: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Tripi, karst spring in the village, 04.04.2009 (2009/25), N37°05.622' E22°20.879', 500 m; singled, beaten, waternet, soil sample (Oláh 2010).

123: Peloponnese region, Laconia peripheral unit, Taygetos Mts, Tripi, limestone walls W of the village, 04.04.2009 (2009/26), N37°05.695' E22°19.971', 545 m; singled.

124: Peloponnese region, Messenia peripheral unit, Taygetos Mts, Langada (Knamion) Stream, its sidestream and plane tree gallery along the Sparti-Kalamata road, 04.04.2009 (2009/27), N37°04.751' E22°17.468', 595 m; singled, beaten, waternet.

125: Peloponnese region, Messenia peripheral unit, Taygetos Mts, Kefalovriso, brook in burnt spruce forest NW (below) of the settlement, 04.04.2009 (2009/28), N37°02.733' E22°15.485', 1440 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012).

126: Peloponnese region, Messenia peripheral unit, Taygetos Mts, Dendro, rocky grassland with conifers near the settlement, 04.04.2009 (2009/29), N37°00.590' E22°14.396', 1160 m; singled, beaten.

127: Peloponnese region, Messenia peripheral unit, Messini, side-channel of the Pamisos River SE of the city, 04.04.2009 (2009/30), N37°01.548' E22°01.660', 5 m; singled, waternet.

128: Peloponnese region, Messenia peripheral unit, Messini, sandy seashore at the mouth of Pamisos River, S of the city, 04.04.2009 (2009/31), N37°01.285' E22°01.244', 0 m; singled, waternet, soil sample.

129: Peloponnese region, Messenia peripheral unit, Messini, pasture SE of the city, 04.04.2009 (2009/32), N37°01.974' E22°01.984', 10 m; singled, sweeping net (Szederjesi & Csuzdi 2012).

130: Peloponnese region, Messenia peripheral unit, Velika, small river and its shore ruderalia at the village, 04.04.2009 (2009/33), N37°00.310' E21°55.811', 10 m; singled, beaten, waternet (Murányi 2013b, Oláh 2010).

131: Peloponnese region, Messenia peripheral unit, Chrani, sandy seashore in the village, 04.04.2009 (2009/34), N36°54.292' E21°55.479', 0 m; singled.

132: Peloponnese region, Messenia peripheral unit, Charavgi, Polilimnio, pasture and forest edge S of the village, 05.04.2009 (2009/35), N36°58.818' E21°51.013', 320 m; singled, beaten.

133: Peloponnese region, Messenia peripheral unit, Charavgi, Polilimnio, stream and its gorge S of the village, 05.04.2009 (2009/36), N36°58.916' E21°51.036', 290 m; singled, beaten, waternet, light trap, soil sample (Kontschán 2010, Oláh 2010).

134: Peloponnese region, Messenia peripheral unit, Agii Apostoli, stream and plane tree gallery E of the village, 05.04.2009 (2009/37), N37°04.158' E21°47.275', 415 m; singled, beaten, waternet (Murányi 2011, Oláh 2010, Szederjesi & Csuzdi 2012).

135: Peloponnese region, Messenia peripheral unit, Egaleo Mts, Platanovrisi, stream, temporary puddle and ruderal olive grove NW of the village, 05.04.2009 (2009/38), N37°07.214' E21°47.925', 400 m; singled, beaten, waternet, plancton sample (roadside temporary puddle), (Murányi 2013b, Oláh 2010).

136: Peloponnese region, Messenia peripheral unit, Kondovounia Mts, Tripila, stream and open macchia N of the village, 05.04.2009 (2009/39), N37°11.311' E21°47.148', 390 m; singled, beaten, waternet (Murányi 2013b).

137: Peloponnese region, Messenia peripheral unit, Kondovounia Mts, Aetos, karst spring and limestone rocks in the village, 05.04.2009 (2009/40), N37°14.587' E21°49.647', 370 m; singled, waternet (Oláh 2010).

138: Peloponnese region, Arcadia peripheral unit, Faneti, rocky pasture NW of the village, 05.04.2009 (2009/41), N37°18.946' E22°03.774', 530 m; singled.

139: Peloponnese region, Arcadia peripheral unit, Tripotamo, oak forest S of the village, 05.04.2009 (2009/42), N37°20.996' E22°06.392', 400 m; singled, beaten, soil sample (Murányi 2013b).

140: Peloponnese region, Arcadia peripheral unit, Tetrazi Mts, Agia Theodora, stream, karst springs and rocky maple forest at the monastery, 05.04.2009 (2009/43), N37°21.269' E21°58.782', 490 m; singled, beaten, waternet, soil sample (Kontschán 2010, Lazányi *et al.* 2012, Murányi 2011, 2013b, Ujvári 2011).

141: Peloponnese region, Arcadia peripheral unit, Tetrazi Mts, Agia Theodora, oak forest above the monastery, 05.04.2009 (2009/44), N $37^{\circ}20.960'$ E $21^{\circ}59.342'$, 610 m; singled (Mahunka & Mahunka-Papp 2010).

142: Peloponnese region, Arcadia peripheral unit, Tetrazi Mts, Isaris, oak forest SW of the village, 05.04.2009 (2009/45), N $37^{\circ}21.290'$ E $21^{\circ}59.848'$, 795 m; singled, soil sample (Mahunka & Mahunka-Papp 2010).

143: Peloponnese region, Arcadia peripheral unit, Tetrazi Mts, Isaris, stream and burnt mixed forest E of the village, 05.04.2009 (2009/46), N $37^{\circ}22.102'$ E $22^{\circ}01.602'$, 595 m; singled, beaten, waternet.

144: Peloponnese region, Arcadia peripheral unit, Elliniko, Lousios River, its plane tree gallery and rocky bush at Gortis ruins, 06.04.2009 (2009/47), N $37^{\circ}32.378'$ E $22^{\circ}02.788'$, 320 m; singled, beaten, waternet, soil sample (Lazányi *et al.* 2012, Mahunka & Mahunka-Papp 2010, Murányi 2011, 2013b).

145: Peloponnese region, Arcadia peripheral unit, Elliniko, forest brook and plane tree forest SE of Gortis ruins, 06.04.2009 (2009/48), N $37^{\circ}32.020'$ E $22^{\circ}03.191'$, 380 m; singled, beaten, waternet, soil sample (Mahunka & Mahunka-Papp 2010, Ujvári 2011).

146: Peloponnese region, Arcadia peripheral unit, Dimitsana, Lousios River, chestnut-plane tree gallery and limestone rocks N of the city, 06.04.2009 (2009/49), N $37^{\circ}37.331'$ E $22^{\circ}03.037'$, 920 m; singled, beaten, waternet.

147: Peloponnese region, Arcadia peripheral unit, Magouliana, spruce forest SW of the village, 06.04.2009 (2009/50), N $37^{\circ}39.404'$ E $22^{\circ}06.976'$, 1130 m; singled, soil sample (Dányi 2010, Mahunka & Mahunka-Papp 2010).

148: Peloponnese region, Arcadia peripheral unit, Magouliana, stream, sidebrook and woody pasture SE of the village, 06.04.2009 (2009/51), N $37^{\circ}39.425'$ E $22^{\circ}08.730'$, 1035 m; singled, beaten, waternet (Murányi 2011, Szederjesi & Csuzdi 2012, Sziráki 2013).

149: Peloponnese region, Arcadia peripheral unit, Menalo Mts, spruce forest below Mt. Mesovouni, 06.04.2009 (2009/52), N $37^{\circ}40.672'$ E $22^{\circ}13.297'$, 1395 m; singled, beaten, soil sample.

150: Peloponnese region, Arcadia peripheral unit, Menalo Mts, limestone rocks below Mt. Mavri Korifi, 06.04.2009 (2009/53), N $37^{\circ}39.565'$ E $22^{\circ}15.582'$, 1615 m; singled (Dányi 2013: Fig. 1).

151: Peloponnese region, Arcadia peripheral unit, Vitina, Milaontas Stream, its gallery and woody pasture SW of the city, 06.04.2009 (2009/54), N $37^{\circ}39.031'$ E $22^{\circ}10.156'$, 960 m; singled, beaten, waternet, soil sample (Kontschán 2010, Murányi 2011: Fig. 14, Murányi 2013b, Szederjesi & Csuzdi 2012).

152: Peloponnese region, Arcadia peripheral unit, Panagitsa, karst springlake, its outlet brook, small river and its plane tree gallery at the village, 06.04.2009 (2009/55), N $37^{\circ}46.392'$ E $22^{\circ}13.341'$, 515 m; singled, beaten, waternet, soil sample (Murányi 2013b).

153: West Greece region, Achaea peripheral unit, Klitoria, small river S of the city, 06.04.2009 (2009/56), N $37^{\circ}53.376'$ E $22^{\circ}07.525'$, 505 m; singled, beaten, waternet.

154: West Greece region, Achaea peripheral unit, Aroania Mts, Planitro, Aroanios (Ladon) Stream and its plane tree gallery SW of the village, 07.04.2009 (2009/57), N $37^{\circ}55.985'$ E $22^{\circ}09.503'$, 600 m; singled, beaten, waternet, soil sample (Kontschán 2010, Oláh 2010).

155: West Greece region, Achaea peripheral unit, Aroania Mts, Zarelia, open spring brook, rocky alpine grassland and limestone rocks below Mt. Nisi, 07.04.2009 (2009/58), N $37^{\circ}56.543'$ E $22^{\circ}14.067'$, 1600 m; singled, beaten, waternet (Lazányi *et al.* 2012, Oláh 2010).

156: West Greece region, Achaea peripheral unit, Aroania Mts, Zarelia, spruce forest and grassland SE of the village, 07.04.2009 (2009/59), N $37^{\circ}55.386'$ E $22^{\circ}14.191'$, 1310 m; singled, beaten (Lazányi *et al.* 2012).

157: West Greece region, Achaea peripheral unit, Aroania Mts, Zarelia, limestone rocks W of the village, 07.04.2009 (2009/60), N $37^{\circ}56.028'$ E $22^{\circ}12.707'$, 925 m; singled.

158: West Greece region, Achaea peripheral unit, Aroania Mts, Planitro, Planitro (Ladon) Springs, plane tree gallery and limestone rocks in the village, 07.04.2009 (2009/61), N $37^{\circ}56.022'$ E $22^{\circ}09.971'$, 640 m; singled, beaten, waternet, soil sample (Murányi 2013b, Oláh 2010, Szederjesi & Csuzdi 2012, Ujvári 2011).

- 159: West Greece region, Achaea peripheral unit, Aroania Mts, Kastria, open stream and pasture N of the village, 07.04.2009 (2009/62), N $37^{\circ}58.267'$ E $22^{\circ}08.503'$, 980 m; singled, beaten, waternet (Murányi 2013b, Oláh 2010).
- 160: West Greece region, Achaea peripheral unit, Kalavrita, Vouraikos River, ruderal vegetation and floodplain puddles W of the city, 07.04.2009 (2009/63), N $38^{\circ}02.154'$ E $22^{\circ}05.899'$, 685 m; singled, beaten, waternet, plancton sample (floodplain puddles) (Dányi 2010, Murányi 2013b).
- 161: West Greece region, Achaea peripheral unit, Korfes, brook and its gorge with plane tree-conifer forest, SE of the village, 07.04.2009 (2009/64), N $38^{\circ}05.099'$ E $22^{\circ}02.036'$, 885 m; singled, beaten, waternet, soil sample (Lazányi *et al.* 2012, Szederjesi & Csuzdi 2012).
- 162: West Greece region, Achaea peripheral unit, Fteri, streamshore ruderal vegetation in the village, 07.04.2009 (2009/65), N $38^{\circ}09.016'$ E $22^{\circ}04.384'$, 1080 m; singled.
- 163: West Greece region, Achaea peripheral unit, Neo Salmeniko, left tributary of Finikas River, and the shore vegetation at the village, 08.04.2009 (2009/66), N $38^{\circ}16.292'$ E $21^{\circ}57.020'$, 185 m; singled, beaten, waternet (Murányi 2013b).
- 164: West Greece region, Achaea peripheral unit, Panahaiko Mts, Sella, karst spring outlet and ruderal vegetation in the village, 08.04.2009 (2009/67), N $38^{\circ}17.040'$ E $21^{\circ}52.748'$, 430 m; singled, beaten, waternet.
- 165: Central Greece region, Phocis peripheral unit, Agios Spyridonas, sandy seashore and grassy rocks at the village, 08.04.2009 (2009/68), N $38^{\circ}21.903'$ E $22^{\circ}07.687'$, 0 m; singled.
- 166: Central Greece region, Phocis peripheral unit, Paralia Tolofonos, rocky seashore W of the village, 08.04.2009 (2009/69), N $38^{\circ}20.299'$ E $22^{\circ}11.640'$, 0 m; singled.
- 167: Central Greece region, Phocis peripheral unit, Agioi Pantes, macchia with tree spurges SE of the village, 08.04.2009 (2009/70), N $38^{\circ}20.842'$ E $22^{\circ}18.846'$, 50 m; singled, beaten (Murányi 2013b).
- 168: Central Greece region, Phocis peripheral unit, Giona Mts, Prosilio, open stream and mountain pasture S of the village, 08.04.2009 (2009/71), N $38^{\circ}33.827'$ E $22^{\circ}20.939'$, 680 m; singled, beaten, waternet (Murányi 2013b, Oláh 2010).
- 169: Central Greece region, Phocis peripheral unit, Giona Mts, Prosilio, spruce forest NW of the village, 08.04.2009 (2009/72), N $38^{\circ}36.007'$ E $22^{\circ}19.597'$, 1040 m; singled, beaten, soil sample.
- 170: Central Greece region, Phocis peripheral unit, Vargiani, springs and torrent the village, 08.04.2009 (2009/73), N $38^{\circ}38.499'$ E $22^{\circ}25.515'$, 970 m; singled, beaten, waternet (Oláh 2010).
- 171: Central Greece region, Phocis peripheral unit, Parnassos Mts, Eptolofos, spruce forest SE of the village, 08.04.2009 (2009/74), N $38^{\circ}35.245'$ E $22^{\circ}30.267'$, 1115 m; singled, soil sample (Lazányi *et al.* 2012, Ujvári 2011).
- 172: Central Greece region, Phocis peripheral unit, Parnassos Mts, Eptolofos, brook and shore plane trees in the village, 08.04.2009 (2009/75), N $38^{\circ}35.565'$ E $22^{\circ}29.236'$, 860 m; singled, beaten, waternet, soil sample (Kontschán 2010).
- 173: Thessaly region, Larissa peripheral unit, Ossa Mts, Stomio, stream and mixed deciduous-conifer forest SE of the village, 09.04.2009 (2009/76), N $39^{\circ}51.524'$ E $22^{\circ}44.613'$, 85 m; singled, beaten, waternet, soil sample (Ujvári 2011).
- 174: Thessaly region, Larissa peripheral unit, Ossa Mts, Koutsoupia, stream mouth to the sea, in the village, 09.04.2009 (2009/77), N $39^{\circ}49.121'$ E $22^{\circ}48.598'$, 0 m; singled, beaten, waternet.
- 175: Thessaly region, Larissa peripheral unit, Ossa Mts, small brook in beech forest, 09.04.2009 (2009/78), N $39^{\circ}47.865'$ E $22^{\circ}45.298'$, 1115 m; singled, beaten, waternet, soil sample (Kontschán 2010, Mahunka & Mahunka-Papp 2010).
- 176: Thessaly region, Larissa peripheral unit, Ossa Mts, torrent in beech forest, 09.04.2009 (2009/79), N $39^{\circ}48.087'$ E $22^{\circ}45.666'$, 975 m; singled, beaten, waternet (Lazányi *et al.* 2012, Sziráki 2013).
- 177: Thessaly region, Larissa peripheral unit, Ossa Mts, stream in beech forest, 09.04.2009 (2009/80), N $39^{\circ}48.324'$ E $22^{\circ}45.886'$, 835 m; singled, beaten, waternet.
- 178: Thessaly region, Larissa peripheral unit, Ossa Mts, Karitsa, oak forest S of the village, 09.04.2009 (2009/81), N $39^{\circ}49.481'$ E $22^{\circ}46.255'$, 590 m; singled.
- 179: Thessaly region, Larissa peripheral unit, Ossa Mts, Karitsa, stream in oak forest S of the

village, 09.04.2009 (2009/82), N39°49.615' E22°46.174', 520 m; singled, beaten, waternet, soil sample (Dányi 2010, Mahunka & Mahunka-Papp 2010, Ujvári 2011).

180: Thessaly region, Larissa peripheral unit, Stomio, brackish puddles in the delta of Pinios River, at the village, 09.04.2009 (2009/83), N39°52.184' E22°44.041', 5 m; plancton sample (brackish puddles).

04–09.05.2011 (leg. Jenő Kentschán, Dávid Murányi, Tímea Szederjesi, Zsolt Újvári)

181: Epirus region, Ioannina peripheral unit, Lakmos Mts, Tampouria, bushy brook and secondary forest N of the village, 04.05.2011 (2011/1), N39°45.053' E21°05.109', 670 m; singled, beaten, waternet.

182: Epirus region, Ioannina peripheral unit, Lakmos Mts, Tampouria, rocky meadow, macchia and open woodland N of the village, 04.05.2011 (2011/2), N39°43.695' E21°05.034', 1010 m; singled, beaten (Szederjesi & Csuzdi 2012).

183: Epirus region, Ioannina peripheral unit, Lakmos Mts, subalpine grassland 5 km NW of Mt. Peristeri, 04.05.2011 (2011/3), N39°43.271' E21°06.052', 1375 m; singled, soil sample.

184: Epirus region, Ioannina peripheral unit, Lakmos Mts, Rachoula, forest torrent and secondary forest S of the village, 04.05.2011 (2011/4), N39°44.173' E21°05.742', 1060 m; singled, beaten, waternet.

185: Epirus region, Ioannina peripheral unit, Mitsikeli Mts, Ligiades, forest fragment and rocky grassland N of the village, 04.05.2011 (2011/5), N39°42.113' E20°53.679', 1215 m; singled (Szederjesi & Csuzdi 2012).

186: Epirus region, Ioannina peripheral unit, Kanneta, roadside rocks at the conjunction towards Vaseika, N of the village, 04.05.2011 (2011/6), N39°30.140' E20°52.927', 590 m; singled.

187: Epirus region, Ioannina peripheral unit, Melia, secondary forest at the Goura gorge, E of the village, 04.05.2011 (2011/7), N39°27.126' E20°52.450', 320 m; singled, beaten.

188: Epirus region, Ioannina peripheral unit, Vouliasta, plane tree gallery, spring lake and

upper section of Louros River in the village, 04.05.2011 (2011/8), N39°25.939' E20°50.605', 235 m; singled, beaten, waternet (Murányi 2013a, Szederjesi & Csuzdi 2012).

189: Epirus region, Preveza peripheral unit, Stefani, dry ditch and ruderal macchia W of the village, 05.05.2011 (2011/9), N39°10.675' E20°46.473', 10 m; singled, sweeping net, sweeping net sample (ruderal macchia).

190: Epirus region, Preveza peripheral unit, Louros, rocky macchia and open oak wood N of the village, 05.05.2011 (2011/10), N39°10.630' E20°44.063', 90 m; singled, sweeping net (Murányi 2013b).

191: Epirus region, Preveza peripheral unit, Thesprotiko Mts, Vrisoula, stream, its plane tree gallery and roadside puddle S of the village, 05.05.2011 (2011/11), N39°14.904' E20°41.735', 220 m; singled, beaten, waternet, plancton sample (roadside puddle), soil sample (Kentschán 2013, Murányi 2013a, 2013b, Szederjesi & Csuzdi 2012).

192: Epirus region, Preveza peripheral unit, Ano Kotsanopoulo, garden of a cafe bar W of the village, 05.05.2011 (2011/12), N39°13.026' E20°42.823', 130 m; singled.

193: Epirus region, Preveza peripheral unit, Nikopoli, sandy seashore of the Amvrakikos Gulf, E of the village, 05.05.2011 (2011/13), N39°01.909' E20°45.563', 0 m; singled, waternet.

194: Epirus region, Preveza peripheral unit, Nikopoli, shrubby grassland and walls of the ancient ruins S of the village, 05.05.2011 (2011/14), N39°00.629' E20°43.952', 15 m; singled (Murányi 2013a).

195: Epirus region, Preveza peripheral unit, Mitikas, bush and rocky seashore of the Ionian Sea at the village, 05.05.2011 (2011/15), N39°00.106' E20°42.084', 0 m; singled, beaten, sweeping net, soil sample (Kentschán 2013).

196: West Greece region, Aetolia-Acarnania peripheral unit, Aktio, bushy ditch at Saltini Lake, S of the settlement, 05.05.2011 (2011/16), N38°54.779' E20°47.251', 5 m; singled, waternet.

197: West Greece region, Aetolia-Acarnania peripheral unit, Agios Nikolaos, tall macchia and roadside vegetation N of the village, 05.05.2011 (2011/17), N38°53.579' E20°48.183', 80m; singled, sweeping net.

198: West Greece region, Aetolia-Acarnania peripheral unit, Agia Varvara, shallow brackish lake N of the village, 05.05.2011 (2011/18), N38° 51.027' E20°44.608', 0 m; singled, waternet, sweeping net, plancton sample (shallow brackish lake).

199: Ionian Islands region, Lefkada peripheral unit, Lefkada Island, Rahi, stream, limestone rocks, plane tree gallery and bush W of the village, 06.05.2011 (2011/19), N38°43.363' E20° 41.404', 50 m; singled, beaten, waternet, sweeping net sample (plane tree gallery and bush), soil sample (Murányi 2013a, 2013b).

200: Ionian Islands region, Lefkada peripheral unit, Lefkada Island, Neohori, tall macchia S of the village, 06.05.2011 (2011/20), N38°42.212' E20°40.985', 225 m; singled, beaten.

201: West Greece region, Aetolia-Acarnania peripheral unit, Agios Nikolaos, Cleopatra channel and its shore gallery at the village, 06.05.2011 (2011/21), N38°51.891' E20°48.303', 5 m; singled, waternet, sweeping net.

202: West Greece region, Aetolia-Acarnania peripheral unit, Akarnanika Mts, Trifos, small artificial pond and its shore vegetation S of the village, 06.05.2011 (2011/22), N38°48.396' E21° 05.650', 330 m; singled, beaten, waternet, sweeping net, plancton sample (small artificial pond) (Murányi 2013b).

203: West Greece region, Aetolia-Acarnania peripheral unit, Stanos, open woodland S of the village, 06.05.2011 (2011/23), N38°46.469' E21° 11.018', 30 m; singled, beaten, sweeping net.

204: West Greece region, Aetolia-Acarnania peripheral unit, Kamaroula, small river and its littoral scrub N of the village, 07.05.2011 (2011/24), N38°38.302' E21°27.092', 130 m; singled, beaten, waternet, sweeping net (Szederjesi & Csuzdi 2012).

205: West Greece region, Aetolia-Acarnania peripheral unit, Panetoliko Mts, Agios Vlasios, open brook, pine forest and forest puddle S of the village, 07.05.2011 (2011/25), N38°48.360' E21° 30.676', 825 m; singled, beaten, waternet, plancton sample (forest puddle), soil sample (Kontschán 2013, Szederjesi & Csuzdi 2012).

206: West Greece region, Aetolia-Acarnania peripheral unit, Chouni, forest spring and plane

tree forest N of the village, 07.05.2011 (2011/26), N38°51.053' E21°32.720', 565 m; singled, beaten, waternet (Murányi 2013b, Szederjesi & Csuzdi 2012).

207: Central Greece region, Evrytania peripheral unit, Agios Georgios, forest brook and plane tree forest E of the village, 07.05.2011 (2011/27), N38°51.053' E21°32.720', 565 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

208: Central Greece region, Evrytania peripheral unit, Anatoliki Fragista, small river, stream and plane tree forest N of the village, 07.05.2011 (2011/28), N38°57.577' E21°36.750', 550 m; singled, beaten, waternet, soil sample (Kontschán 2013, Szederjesi & Csuzdi 2012).

209: Central Greece region, Evrytania peripheral unit, Anatoliki Fragista, karst spring and open rocky woodland E of the village, 07.05.2011 (2011/29), N38°57.612' E21°37.836', 730 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

210: Central Greece region, Evrytania peripheral unit, Timfristos Mts, Ano Kalesmeno, forest brook and spruce forest E of the village, 07.05.2011 (2011/30), N38°54.931' E21°43.825', 980 m; singled, beaten, waternet, soil sample (Kontschán 2013, Murányi 2013a, Szederjesi & Csuzdi 2012).

211: Central Greece region, Evrytania peripheral unit, Timfristos Mts, alpine grassland around the ski course, 2 km W of Mt. Timfristos, 07.05.2011 (2011/31), N38°56.516' E21°48.412', 1865 m; singled, soil sample (Szederjesi & Csuzdi 2012).

212: Central Greece region, Evrytania peripheral unit, Timfristos Mts, rocky alpine grassland 2 km SW of Mt. Timfristos, 07.05.2011 (2011/32), N38°56.000' E21°48.590', 1760 m; singled.

213: Central Greece region, Evrytania peripheral unit, Timfristos Mts, Karpenisi, parking of Hotel Lekadin, 08.05.2011 (2011/33), N38° 54.803' E21°47.024', 1010 m; singled (Murányi 2013a).

214: Central Greece region, Phthiotis peripheral unit, Timfristos Mts, Timfristos, forest brook and spruce forest at the Timfristos Pass, W of the village, 08.05.2011 (2011/34), N38°53.816' E21°

53.423°, 1125 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012).

215: Central Greece region, Phthiotis peripheral unit, Agios Georgios, Sperchios River and its gallery forest W of the village, 08.05.2011 (2011/35), N38°57.009' E21°56.712', 365 m; singled, beaten, waternet (Kovács *et al.* 2012: Fig. 21, Murányi 2013a, Szederjesi & Csuzdi 2012).

216: Central Greece region, Phthiotis peripheral unit, Paleokastro, oak forest S of the village, 08.05.2011 (2011/36), N38°58.653' E21°54.221', 685 m; singled, soil sample (Kontschán 2013, Murányi 2013a, Szederjesi & Csuzdi 2012).

217: Central Greece region, Evrytania peripheral unit, Fourni, open brook, spruce forest and wet meadow S of the village, 08.05.2011 (2011/37), N39°01.803' E21°52.933', 1220 m; singled, beaten, waternet.

218: Central Greece region, Evrytania peripheral unit, Klisto, forest brook, spruce forest, wet meadow and roadside puddle N of the village, 08.05.2011 (2011/38), N39°07.326' E21°49.064', 1145 m; singled, beaten, waternet, plancton sample (roadside puddle), soil sample (Kontschán 2013, Szederjesi & Csuzdi 2012).

219: Thessaly region, Karditsa peripheral unit, Sarantaporo, small river and its gallery forest S of the village, 08.05.2011 (2011/39), N39°09.231' E21°49.845', 700 m; singled, beaten, waternet.

220: Thessaly region, Karditsa peripheral unit, Kastania, open, rocky macchia E of the village, 08.05.2011 (2011/40), N39°14.258' E21°50.324', 625 m; singled (Szederjesi & Csuzdi 2012).

221: Thessaly region, Karditsa peripheral unit, Mouzaki, garden of Hotel Panorama, 09.05.2011 (2011/41), N39°26.270' E21°40.363', 165 m; singled (Murányi 2013a).

222: Thessaly region, Trikala peripheral unit, Kerketio Mts, Pertouli, open stream and wet meadow E of the village, 09.05.2011 (2011/42), N39°32.588' E21°30.662', 1175 m; singled, beaten, waternet, soil sample (Kontschán 2013).

223: Thessaly region, Trikala peripheral unit, Neraida Mts, Desi, karst spring, its outlet and bushy grassland E of the village, 09.05.2011 (2011/43), N39°33.637' E21°22.315', 1040 m; singled, beaten, waternet (Szederjesi & Csuzdi 2012).

224: Thessaly region, Trikala peripheral unit, Athamon Mts, Athamania, small river and mixed rocky forest S of the village, 09.05.2011 (2011/44), N39°30.944' E21°14.997', 935 m; singled, beaten, waternet, sweeping net (Szederjesi & Csuzdi 2012).

225: Thessaly region, Trikala peripheral unit, Athamon Mts, Athamania, forest torrent in deciduous rocky forest N of the village, 09.05.2011 (2011/45), N39°32.034' E21°15.131', 1020 m; singled, beaten, waternet.

226: Thessaly region, Trikala peripheral unit, Katafito, limestone rocks and deciduous forest W of the village, 09.05.2011 (2011/46), N39°37.996' E21°13.449', 950 m; singled.

227: Thessaly region, Trikala peripheral unit, Lakmos Mts, Chaliki, open torrent and brook, and rocky subalpine grassland N of the village, 09.05.2011 (2011/47), N39°41.908' E21°11.037', 1225 m; singled, beaten, waternet, soil sample (Szederjesi & Csuzdi 2012).

228: Epirus region, Ioannina peripheral unit, Lakmos Mts, open brook and rocky beech forest at the pass of the Chaliki–Anilio road, 09.05.2011 (2011/48), N39°43.008' E21°11.602', 1610 m; singled, waternet (Szederjesi & Csuzdi 2012).

229: Epirus region, Ioannina peripheral unit, Lakmos Mts, beech forest and grassland N of the pass of the Chaliki–Anilio road, 09.05.2011 (2011/49), N39°43.472' E21°11.731', 1475 m; singled, soil sample (Szederjesi & Csuzdi 2012).

25–28.05.2012 (leg. Jenő Kontschán, Dávid Murányi, Tímea Szederjesi)

230: Central Macedonia region, Kilkis peripheral unit, Efzoni, garden of a hotel N of the village, 25.05.2012 (2012/1), N41°06.740' E22°33.296', 80 m; singled.

231: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Nea Sanda, river and rocky forest E of the village, 26.05.2012 (2012/2), N41°06.928' E25°49.686', 225 m; singled, beaten, waternet.

232: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Nea Sanda, forest brook and oak forest E of the village, 26.05.2012 (2012/3), N41°07.672' E25°53.223', 650m; singled, beaten, waternet (Murányi 2013a).

233: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Nea Sanda, open brook and pasture NE of the village, 26.05. 2012 (2012/4), N41°07.965' E25°54.052', 790 m; singled, beaten, waternet.

234: East Macedonia and Thrace region, Rhodope peripheral unit, Tsifliki, slow stream SW of the village, 26.05.2012 (2012/5), N41°03.085' E25°37.569', 35m; singled, waternet, sweeping net.

235: East Macedonia and Thrace region, Rhodope peripheral unit, Tsifliki, Lissios River and its shore bush W of the village, 26.05.2012 (2012/6), N41°03.163' E25°37.114', 30 m; singled, waternet.

236: East Macedonia and Thrace region, Rhodope peripheral unit, Sapka Mts, Kizario, stream and pasture SW of the village, 27.05.2012 (2012/7), N41°03.492' E25°45.672', 140 m; singled, beaten, waternet (Murányi 2013b).

237: East Macedonia and Thrace region, Rhodope peripheral unit, Evrinos, small pit hole lakes and puddles E of the village, 27.05.2012 (2012/8), N41°03.908' E25°44.250', 90 m; singled, waternet, sweeping net, plancton sample (permanent puddles and small pit hole lakes).

238: East Macedonia and Thrace region, Evros peripheral unit, Mesti, dry grassland at ancient Via Egnatia, SE of the village, 27.05.2012 (2012/9), N40°56.735' E25°39.431', 200 m; singled, sweeping net.

239: East Macedonia and Thrace region, Evros peripheral unit, Dikella, rocky seashore SE of the village, 27.05.2012 (2012/10), N40°50.910' E25°42.440', 0 m; singled, soil sample.

240: East Macedonia and Thrace region, Evros peripheral unit, Lesitse Mts, Nipsa, large, permanent puddle NE of the village, 27.05.2012 (2012/11), N40°56.279' E26°03.379', 85 m; singled, waternet, sweeping net, plancton sample (large, permanent puddle).

241: East Macedonia and Thrace region, Evros peripheral unit, Lesitse Mts, Loutros, stream and its gallery N of the village, 27.05.2012 (2012/12), N40°55.485' E26°03.673', 55 m; singled, beaten, waternet.

242: East Macedonia and Thrace region, Evros peripheral unit, Loutra Traianoupolis, river and

thermal spring at the ruins, 28.05.2012 (2012/13), N40°51.889' E26°01.881', 15 m; singled, beaten, waternet.

243: East Macedonia and Thrace region, Evros peripheral unit, Anatoliki Rodopi Mts, Mikro Dereio, temporary puddle by an oak forest, W of the village, 28.05.2012 (2012/14), N41°18.927' E26°03.639', 280 m; singled, plancton sample (temporary puddle), soil sample.

244: East Macedonia and Thrace region, Evros peripheral unit, Anatoliki Rodopi Mts, Roussa, open brook and dry forest N of the village, 28.05. 2012 (2012/15), N41°18.636' E26°01.055', 360 m; singled, beaten, waternet, soil sample (Kotschán 2013).

245: East Macedonia and Thrace region, Evros peripheral unit, Anatoliki Rodopi Mts, Polia, Erithropotamos River S of the village, 28.05.2012 (2012/16), N41°26.280' E26°13.435', 50 m; singled, beaten, waternet.

06–14.11.2012 (leg. Jenő Kotschán, Dávid Murányi)

246: South Aegean region, Rhodes peripheral unit, Rhodes Island, Rhodes, street trees in the city, 06.11.2012 (2012/1), N36°27.101' E28°13.120', 5 m; singled.

247: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Prophitis Ilias, rocky cedar forest at the monastery, 07.11.2012 (2012/2), N36°16.624' E27°56.543, 605 m; singled, beaten, soil sample (moss from soil) (Murányi 2013b).

248: South Aegean region, Rhodes regional unit, Rhodes Island, Salakos, forest spring on Mt. Prophitis Ilias above the city, 07.11.2012 (2012/3), N36°16.073' E27°54.686', 485 m; singled, beaten, waternet.

249: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Atavyros, rocky grassland in the peak region, 07.11.2012 (2012/4), N36°12.233' E27°51.913', 1095 m; singled (Murányi 2013b).

250: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Atavyros, rocky evergreen oak stand, 07.11.2012 (2012/5), N36°12.247' E27°51.344', 1055 m; singled, beaten (Murányi 2013b).

- 251: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Atavyros, trees on rocky pasture, 07.11.2012 (2012/6), N36°12.085' E27°50.352', 835 m; singled.
- 252: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Atavyros, Ploumadhes area, pine forest, 07.11.2012 (2012/7), N36°12.017' E27°49.286', 610 m; singled, beaten (Murányi 2013b).
- 253: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Atavyros, Ploumadhes area, mixed forest edge, 07.11.2012 (2012/8), N36°12.370' E27°48.810', 475 m; singled.
- 254: South Aegean region, Rhodes regional unit, Rhodes Island, Monolithos, street trees at Hotel Thomas, 07.11.2012 (2012/9), N36°07.789' E27°44.352', 290 m; singled.
- 255: South Aegean region, Rhodes regional unit, Rhodes Island, Apolakkia Bay, Sousounia area, sandy seashore with grassy dunes, 08.11.2012 (2012/10), N35°59.632' E27°44.897', 0 m; singled, soil sample (decaying leaves).
- 256: South Aegean region, Rhodes regional unit, Rhodes Island, Kattavia, semidesert on Oros hill, S of the village, 08.11.2012 (2012/11), N35°53.861' E27°46.506', 40 m; singled, beaten (Sziráki 2013).
- 257: South Aegean region, Rhodes regional unit, Rhodes Island, Hochlakas, streambed with scattered pools W of the village, 08.11.2012 (2012/12), N35°56.722' E27°49.668', 15 m; singled, beaten, waternet.
- 258: South Aegean region, Rhodes regional unit, Rhodes Island, Mesanaghros, trees at a coffee bar in the village, 08.11.2012 (2012/13), N36°00.685' E27°49.207', 300 m; singled.
- 259: South Aegean region, Rhodes regional unit, Rhodes Island, Arnitha, macchia on Mt. Troulos, S of the village, 08.11.2012 (2012/14), N36°03.090' E27°49.169', 170 m; singled, beaten, soil sample (decaying wood).
- 260: South Aegean region, Rhodes regional unit, Rhodes Island, Arnitha, olive groove at the village, 08.11.2012 (2012/15), N36°03.438' E27°49.266', 145 m; singled, beaten.
- 261: South Aegean region, Rhodes regional unit, Rhodes Island, Arnitha, Eucalyptus and plane trees at an occupied spring in the village, 08.11.2012 (2012/16), N36°03.724' E27°48.816', 105 m; singled, soil sample (plane tree leaf litter).
- 262: South Aegean region, Rhodes regional unit, Rhodes Island, Vati, roadside spring E of the village, 08.11.2012 (2012/17), N36°03.225' E27°54.486', 75 m; singled, beaten, waternet, soil sample (leaf litter) (Sziráki 2013).
- 263: South Aegean region, Rhodes regional unit, Rhodes Island, Asklipio, rocky pine forest on Sellí hill, N of the village, 09.11.2012 (2012/18), N36°06.595' E27°54.998', 200 m; singled (Murányi 2013b).
- 264: South Aegean region, Rhodes regional unit, Rhodes Island, Thari, intermittent stream and its bushy shore S of the settlement, 09.11.2012 (2012/19), N36°07.001' E27°54.936', 185 m; singled, beaten, waternet.
- 265: South Aegean region, Rhodes regional unit, Rhodes Island, Laerma, horticulture at the village, 09.11.2012 (2012/20), N36°09.474' E27°56.180', 255 m; singled, beaten.
- 266: South Aegean region, Rhodes regional unit, Rhodes Island, Laerma, stream and its willow-plane tree gallery SE of Aghios Ioannis monastery, 09.11.2012 (2012/21), N36°11.593' E27°54.362', 215 m; singled, beaten, waternet, soil sample (plane tree leaf litter).
- 267: South Aegean region, Rhodes regional unit, Rhodes Island, Agios Isidhoros, Souloutrana Spring, limestone rocks and bush E of the city, 09.11.2012 (2012/22), N36°10.442' E27°51.812', 490 m; singled, beaten, waternet, soil sample (soil).
- 268: South Aegean region, Rhodes regional unit, Rhodes Island, Embonas, streamside ruderalia E of the city, 09.11.2012 (2012/23), N36°14.107' E27°52.036', 365 m; singled, beaten (Murányi 2013b).
- 269: South Aegean region, Rhodes regional unit, Rhodes Island, Apollona, Triana area, stream in a gorge with plane trees, 09.11.2012 (2012/24), N36°15.261' E27°55.157', 315 m; singled, beaten, waternet, soil samples (moss from stone, plane tree leaf litter, ant nest) (Murányi 2013b).
- 270: South Aegean region, Rhodes regional unit, Rhodes Island, Platania, 'Koinotis Platania' Spring W of the village, 09.11.2012 (2012/25), N36°15.321' E28°00.129', 285 m; singled (Murányi 2013b).

271: South Aegean region, Rhodes regional unit, Rhodes Island, Salakos, 'Butterfly River', forested gorge with a stream NE of the city, 10.11.2012 (2012/26), N36°17.391' E27°57.007', 135 m; singled, beaten, waternet, soil sample (plane tree leaf litter) (Murányi 2013b, Sziráki 2013).

272: South Aegean region, Rhodes regional unit, Rhodes Island, Laerma, Klima area, open stream above Ghadhoura Lake, 10.11.2012 (2012/27), N36°10.444' E27°57.423', 110 m; singled, waternet.

273: South Aegean region, Rhodes regional unit, Rhodes Island, Epta Piges, karst springs and their outlet in plane tree forest, 10.11.2012 (2012/28), N36°15.195' E28°06.859', 80 m; singled, beaten, waternet (Sziráki 2013).

274: South Aegean region, Karpathos regional unit, Karpathos Island, Aperi, spring, bushy stream and plane trees in the village, 11.11.2012 (2012/29), N35°32.995' E27°10.187', 265 m; singled, beaten, waternet, soil sample (plane tree leaf litter) (Sziráki 2013).

275: South Aegean region, Karpathos regional unit, Karpathos Island, spring along the Aperi-Spoa road, at the conjunction to Apella Bay, 11.11.2012 (2012/30), N35°36.175' E27°08.865', 315 m; singled, waternet.

276: South Aegean region, Karpathos regional unit, Karpathos Island, Spoa, Plakakia area, open spring along the road, N of the village 11.11.2012 (2012/31), N35°39.380' E27°09.474', 215 m; singled, beaten, soil sample (moss from soil).

277: South Aegean region, Karpathos regional unit, Karpathos Island, Diafani, open brook and macchia W of the village, 11.11.2012 (2012/32), N35°45.118' E27°11.637', 95 m; singled, beaten, waternet.

278: South Aegean region, Karpathos regional unit, Karpathos Island, Diafani, street trees in the village, 11.11.2012 (2012/33), N35°45.293' E27°12.555', 5 m; singled.

279: South Aegean region, Karpathos regional unit, Karpathos Island, Avlona, limestone rocks S of the village, 11.11.2012 (2012/34), N35°45.657' E27°10.758', 345 m; singled.

280: South Aegean region, Karpathos regional unit, Karpathos Island, Spoa, Profitis Ilias area,

open spring along the road, N of the village, 11.11.2012 (2012/35), N35°39.851' E27°09.097', 285 m; singled, waternet.

281: South Aegean region, Karpathos regional unit, Karpathos Island, Kipos, rocky semidesert N of the village 12.11.2012 (2012/36), N35°27.228' E27°09.476', 65 m; singled, soil sample (soil from beneath stones) (Murányi 2013b).

282: South Aegean region, Karpathos regional unit, Karpathos Island, Arkasa, Vlycha (Fleya) Stream and its shore bush S of the village, 12.11.2012 (2012/37), N35°27.494' E27°06.228', 5 m; singled, beaten, waternet.

283: South Aegean region, Karpathos regional unit, Karpathos Island, Mt. Lastos, limestone rocks in the peak region, 12.11.2012 (2012/38), N35°34.300' E27°09.541', 905 m; singled, soil sample (soil from beneath rocks) (Murányi 2013b).

284: South Aegean region, Karpathos regional unit, Karpathos Island, Voloda, brook in a gorge by the village, 12.11.2012 (2012/39), N35°33.240' E27°09.878', 405 m; singled, beaten, waternet, soil sample (brookside plane tree leafs) (Murányi 2013b).

285: South Aegean region, Karpathos regional unit, Karpathos Island, Lefkos, pine forest S of the village, 12.11.2012 (2012/40), N35°35.730' E27°05.577', 135 m; singled, beaten, soil sample (soil from beneath stones).

286: South Aegean region, Karpathos regional unit, Karpathos Island, Mesochori, spring and its outlet at Vryssiani church, 12.11.2012 (2012/41), N35°37.954' E27°06.600', 125 m; singled, beaten, waternet, soil sample (pomegranate leaf litter).

287: South Aegean region, Rhodes regional unit, Rhodes Island, Petaloudes ('Butterfly Valley'), forested stream gorge, 13.11.2012 (2012/42), N36°20.269' E28°03.716', 190 m; singled, beaten, waternet.

288: South Aegean region, Rhodes regional unit, Rhodes Island, Afandou, olive groove N of the village, 13.11.2012 (2012/43), N36°18.167' E28°08.964', 105 m; singled.

289: South Aegean region, Rhodes regional unit, Rhodes Island, Haraki, Haraki Beach, sandy seashore N of the village, 14.11.2012 (2012/44), N36°10.524' E28°05.854', 0 m; singled (Sziráki 2013).

290: South Aegean region, Rhodes regional unit, Rhodes Island, Haraki, Tou. Thanasi Spring W of the village, 14.11.2013 (2012/45), N36° 10.563' E28°05.362', 5 m; singled, waternet.

291: South Aegean region, Rhodes regional unit, Rhodes Island, Aghios Nektarios, pine forest E of the monastery, 14.11.2012 (2012/46), N36° 15.943' E28°04.822', 145 m; singled, soil sample (pine leaf litter) (Murányi 2013b).

292: South Aegean region, Rhodes regional unit, Rhodes Island, Aghios Nektarios, Loutanis River and its plane tree gallery at the monastery, 14.11.2012 (2012/47), N36°15.932' E28°04.625', 140 m; singled, beaten, waternet.

293: South Aegean region, Rhodes regional unit, Rhodes Island, Eleousa, artificial spring lake at the village 14.11.2012 (2012/48), N36°16.370' E28°01.439', 290 m; singled, waternet.

294: South Aegean region, Rhodes regional unit, Rhodes Island, Aghios Nikolaos Foundoukli, trees at the monastery, 14.11.2012 (2012/49), N36°16.459' E27°59.836', 320 m; singled.

295: South Aegean region, Rhodes regional unit, Rhodes Island, Mt. Prophitis Ilias, limestone rocks E of the monastery, N36°16.401' E27° 57.463', 550 m; singled.

296: South Aegean region, Rhodes regional unit, Rhodes Island, Kremasti, stream and degraded grassland at the city, along the main road, 14.11.2012 (2012/51), N36°24.530' E28°06.633', 5 m; singled, beaten, waternet (Murányi 2013b).

30.03–07.04.2013 (leg. Jenő Kotschán, Dávid Murányi, Tímea Szederjesi)

297: Thessaly region, Magnesia regional unit, Pelio Mts, Hania, beech forest torrent at the settlement, 30.03.2013 (2013/1), N39°23.613' E23° 02.757', 1150 m; singled, beaten, waternet, soil samples (soil from beneath plane trees, beech leaf litter).

298: Crete region, Chania regional unit, Kakopetros, stream and its plane tree gallery near the village, 31.03.2013 (2013/2), N35°24.803' E23° 45.391', 430 m; singled, beaten, waternet, soil sample (plane tree leaf litter) (Murányi 2013b).

299: Crete region, Chania regional unit, Vamvakades, rocky grassland S of the village, 31.03.

2013 (2013/3), N35°18.068' E23°45.057', 855 m; singled.

300: Crete region, Chania regional unit, Sougia, seashore tamarisk stands at the village, 31.03. 2013 (2013/4), N35°14.917' E23°48.706', 0 m; singled, beaten.

301: Crete region, Chania regional unit, Skafi, stream and its plane tree gallery S of the village, 31.03.2013 (2013/5), N35°18.806' E23°47.612', 370 m; singled, beaten, waternet, soil sample (mixed soil and plane tree leaf litter).

302: Crete region, Chania regional unit, Lefka Ori Mts, Omalos, rocky grassland W of the village, 31.03.2013 (2013/6), N35°21.225' E23° 51.355', 1020 m; singled, soil sample (soil) (Murányi 2013b).

303: Crete region, Chania regional unit, Lefka Ori Mts, Omalos, rocky grassland W of the village, 31.03.2013 (2013/7), N35°19.483' E23° 53.507', 1060 m; singled.

304: Crete region, Chania regional unit, Lefka Ori Mts, Samaria, spring in oak stand at the rest area, 31.03.2013 (2013/8), N35°18.481' E23° 55.051', 1250 m; singled, beaten, soil sample (soil).

305: Crete region, Chania regional unit, Fournes, roadside by a dry gorge S of the village, 31.03.2013 (2013/9), N35°25.400' E23°56.495', 125 m; singled.

306: Crete region, Chania regional unit, Georgioupoli, swamp E of the village; 01.04.2013 (2013/10), N35°21.112' E24°17.442', 5 m; singled, waternet, soil samples (dry leaf litter of Eucalyptus, leaf litter from wet channelside), plancton sample (swamp edge open water).

307: Crete region, Rethymno regional unit, Goulediana, olive grove with oak stands at the village, 01.04.2013 (2013/11), N35°17.206' E24° 29.949', 440 m; singled, beaten (Murányi 2013b).

308: Crete region, Rethymno regional unit, Mirthios, D. Dason Rethymnis spring E of the village, 01.04.2013 (2013/12), N35°17.619' E24° 33.360', 155 m; singled, beaten, waternet, soil sample (wet plane tree leaf litter).

309: Crete region, Rethymno regional unit, Moni Veni, springs at the monastery, 01.04.2013 (2013/13), N35°16.228' E24°36.377', 595 m; singled, beaten, soil sample (soil).

- 310: Crete region, Rethymno regional unit, Voleones, spring in the village, 01.04.2013 (2013/14), N $35^{\circ}16.286'$ E $24^{\circ}35.373'$, 325 m; singled, waternet.
- 311: Crete region, Rethymno regional unit, Apostoli, stream and its plane tree gallery N of the village, 01.04.2013 (2013/15), N $35^{\circ}16.211'$ E $24^{\circ}36.821'$, 320 m; singled, beaten, waternet.
- 312: Crete region, Rethymno regional unit, Nithavris, spring in the village, 01.04.2013 (2013/16), N $35^{\circ}10.292'$ E $24^{\circ}43.989'$, 480 m; singled, waternet.
- 313: Crete region, Heraklion regional unit, Kali Limenes, semidesert above the village, 02.04.2013 (2013/17), N $34^{\circ}56.038'$ E $24^{\circ}47.826'$, 70 m; singled.
- 314: Crete region, Heraklion regional unit, Kali Limenes, rocky seashore at the village, 02.04.2013 (2013/18), N $34^{\circ}55.805'$ E $24^{\circ}48.008'$, 0 m; singled.
- 315: Crete region, Heraklion regional unit, Pigaïdakia, rocky macchia S of the village, 02.04.2013 (2013/19), N $34^{\circ}57.917'$ E $24^{\circ}50.006'$, 345 m; singled.
- 316: Crete region, Heraklion regional unit, Agii Deka, small river and its gallery at Agios Tilos basilica, 02.04.2013 (2013/20), N $35^{\circ}03.704'$ E $24^{\circ}56.792'$, 160 m; singled, beaten, waternet, soil sample (soil).
- 317: Crete region, Heraklion regional unit, Astyraki, pools of a temporary stream SE of the village, 02.04.2013 (2013/21), N $35^{\circ}17.844'$ E $24^{\circ}57.718'$, 395 m; singled, beaten, waternet.
- 318: Crete region, Rethymno regional unit, Ida Mts, spring and its outlet at an archeological site and taverna, 02.04.2013 (2013/22), N $35^{\circ}12.388'$ E $24^{\circ}50.044'$, 1380 m; singled, beaten, waternet, soil sample (nest of ants).
- 319: Crete region, Rethymno regional unit, Ida Mts, limestone rocks at a pasture towards the observatory, 02.04.2013 (2013/23), N $35^{\circ}12.560'$ E $24^{\circ}52.536'$, 1480 m; singled (Murányi 2013b).
- 320: Crete region, Rethymno regional unit, Axos, spring S of the village, 02.04.2013 (2013/24), N $35^{\circ}17.934'$ E $24^{\circ}50.485'$, 590 m; singled, beaten, soil sample (mixed soil and leaf litter).
- 321: Crete region, Rethymno regional unit, Sisarcha, stream and its plane tree gallery N of the village, 03.04.2013 (2013/25), N $35^{\circ}18.073'$ E $24^{\circ}54.800'$, 575 m; singled, beaten, waternet, soil sample (plane tree leaf litter).
- 322: Crete region, Heraklion regional unit, Krasi, spring system in the village, 03.04.2013 (2013/26), N $35^{\circ}14.010'$ E $25^{\circ}28.154'$, 610 m; singled, waternet.
- 323: Crete region, Lasithi regional unit, Dikti Mts, Pinakiano, slow stream in a meadow, W of the village, 03.04.2013 (2013/27), N $35^{\circ}11.615'$ E $25^{\circ}25.976'$, 815 m; singled, beaten, waternet, soil sample (nest of ants).
- 324: Crete region, Lasithi regional unit, Dikti Mts, Mesa Potami, torrent W of the village, 03.04.2013 (2013/28), N $35^{\circ}12.727'$ E $25^{\circ}30.952'$, 915 m; singled, beaten, waternet, soil sample (moss).
- 325: Crete region, Lasithi regional unit, Dikti Mts, Roussakiana, hazel bush in the village, 03.04.2013 (2013/29), N $35^{\circ}12.738'$ E $25^{\circ}31.884'$, 845 m; singled.
- 326: Crete region, Lasithi regional unit, Dikti Mts, Katharo, stream in the settlement, 03.04.2013 (2013/30), N $35^{\circ}08.068'$ E $25^{\circ}33.674'$, 1125 m; singled, beaten, waternet, soil sample (moss).
- 327: Crete region, Lasithi regional unit, Dikti Mts, Katharo, rocky evergreen oak forest E of the settlement, 03.04.2013 (2013/31), N $35^{\circ}09.242'$ E $25^{\circ}35.185'$, 1070 m; singled, soil sample (mixed soil and leaf litter) (Murányi 2013b).
- 328: Crete region, Lasithi regional unit, Sfaka, dry limestone gorge beneath the village, 04.04.2013 (2013/32), N $35^{\circ}09.197'$ E $25^{\circ}55.248'$, 240 m; singled, beaten (Murányi 2013b).
- 329: Crete region, Lasithi regional unit, Sitia, roadside Ricinus bush E of the city, 04.04.2013 (2013/33), N $35^{\circ}12.163'$ E $26^{\circ}06.654'$, 5 m; singled, soil sample (decaying seagrass).
- 330: Crete region, Lasithi regional unit, Analoukas, sandy seashore at the village, 04.04.2013 (2013/34), N $35^{\circ}12.687'$ E $26^{\circ}11.131'$, 0 m; singled, soil sample (decaying seagrass).
- 331: Crete region, Lasithi regional unit, Kouremenos Beach, large brackish puddle close to the settlement, 04.04.2013 (2013/35), N $35^{\circ}12.379'$ E $26^{\circ}16.149'$, 0 m; singled, plancton sample (large brackish puddle).
- 332: Crete region, Lasithi regional unit, Agathia, wet meadow NE of the village, 04.04.

2013 (2013/36), N35°11.936' E26°16.462', 5 m; singled, beaten, sweeping net, soil sample (soil).

333: Crete region, Lasithi regional unit, Zakros, stream and its plane tree gallery N of the village, 04.04.2013 (2013/37), N35°06.918' E26°13.153', 190 m; singled, beaten, waternet, soil sample (mixed soil and leaf litter) (Murányi 2013b).

334: Crete region, Lasithi regional unit, Zakros, Zakros Spring above the village, 04.04.2013 (2013/38), N35°06.837' E26°12.827', 265 m; singled, beaten, waternet, soil samples (wet plane tree leaf litter, dry plane tree leaf litter).

335: Crete region, Lasithi regional unit, Kato Zakros, sandy seashore at the village, 04.04.2013 (2013/39), N35°05.761' E26°15.793', 0 m; singled.

336: Crete region, Lasithi regional unit, Karidi, rocky grassland W of the village, 04.04.2013 (2013/40), N35°07.912' E26°12.849', 290 m; singled.

337: Crete region, Lasithi regional unit, Thriptis Mts, Agios Ioannis, stream and its gallery E of the village, 05.04.2013 (2013/41), N35°03.615' E25°51.938', 460 m; singled, beaten, waternet, soil samples (very wet plane tree leaf litter, wet plane tree leaf litter) (Sziráki 2013).

338: Crete region, Lasithi regional unit, Thriptis Mts, Orino, stream in the village, 05.04.2013 (2013/42), N35°04.883' E25°54.848', 625 m; singled, beaten, waternet.

339: Crete region, Lasithi regional unit, Thriptis Mts, Orino, open brook above the village, 05.04.2013 (2013/43), N35°05.466' E25°53.984', 805 m; singled, beaten, waternet.

340: Crete region, Lasithi regional unit, Agios Georgios, large reservoir below the village, 05.04.2013 (2013/44), N35°03.042' E25°41.750', 60 m; singled, waternet, sweeping net (Murányi 2013b).

341: Crete region, Heraklion regional unit, Loutraki, olive orchard above the village, 05.04.2013 (2013/45), N35°01.315' E25°32.163', 415 m; singled, sweeping net.

342: Crete region, Heraklion regional unit, Loutraki, stream and its gorge below the village, 05.04.2013 (2013/46), N35°03.413' E25°24.887', 670 m; singled, beaten, waternet, soil sample (plane tree leaf litter) (Murányi 2013b).

343: South Aegean region, Naxos regional unit, Naxos Island, Ghalini, open stream at the village, 06.04.2013 (2013/47), N37°06.888' E25°25.715', 35 m; singled, beaten, waternet (Murányi 2013b).

344: South Aegean region, Naxos regional unit, Naxos Island, Abram, stream and its plane tree gallery N of the village, 06.04.2013 (2013/48), N37°10.177' E25°29.291', 50 m; singled, beaten, waternet, soil sample (plane tree leaf litter).

345: South Aegean region, Naxos regional unit, Naxos Island, Koronidha, stream and its plane tree gallery N of the village, 06.04.2013 (2013/49), N37°09.850' E25°32.730', 125 m; singled, beaten, waternet.

346: South Aegean region, Naxos regional unit, Naxos Island, Koronidha, stream in a gorge below the village, 06.04.2013 (2013/50), N37°08.580' E25°31.857', 455 m; singled, beaten, waternet, soil sample (wet soil).

347: South Aegean region, Naxos regional unit, Naxos Island, Koronidha, stream above the village, 06.04.2013 (2013/51), N37°08.071' E25°31.507', 670 m; singled, beaten, waternet, soil sample (soil).

348: South Aegean region, Naxos regional unit, Naxos Island, Koronis, occupied brook N of the village, 06.04.2013 (2013/52), N37°06.857' E25°32.077', 620 m; singled, beaten, waternet.

349: South Aegean region, Naxos regional unit, Naxos Island, Aghia Paraskevi, shallow brackish lake by the sea, 07.04.2013 (2013/53), N36°59.765' E25°23.521', 5 m; singled, waternet, soil sample (lakeshore debrits), plancton sample (shallow brackish lake).

350: South Aegean region, Naxos regional unit, Naxos Island, Dhamalas, rocky phrygana W of the village, 07.04.2013 (2013/54), N37°02.921' E25°27.351', 260 m; singled.

351: South Aegean region, Naxos regional unit, Naxos Island, Mt. Zas, Filoti, vicinity of Zas Cave, 07.04.2013 (2013/55), N37°01.9' E25°29.8', 680 m; singled, beaten, waternet.

352: South Aegean region, Naxos regional unit, Naxos Island, Apiranthes, olive orchard E of the village, 07.04.2013 (2013/56), N37°04.408' E25°31.842', 525m; singled.

353: South Aegean region, Naxos regional unit, Naxos Island, dry gorge of Pnichtis Stream below the emery mines, 07.04.2013 (2013/57), N37°05.899' E25°33.313', 200 m; singled.

354: South Aegean region, Naxos regional unit, Naxis Island, Mesi, spring in the village, 07.04.2013 (2013/58), N37°08.846' E25°33.153', 375 m; singled, beaten, soil sample (mixed leaf litter).

355: South Aegean region, Naxos regional unit, Naxos Island, Skeponi, bushy brook W of the village, 07.04.2013 (2013/59), N37°08.277' E25°28.910', 165 m; singled, beaten, water net.

356: South Aegean region, Naxos regional unit, Naxos Island, Pachia Ammos, large puddle by the sea, 07.04.2013 (2013/60), N37°08.416' E25°27.016', 5 m; singled, plancton sample (large seaside puddle).

Taxa described upon the materials collected during the present tours

Oligochaeta.

Dendrobaena retrosella Szederjesi & Csuzdi, 2012 – holotype: loc. 227.

Eisenia oreophila Szederjesi & Csuzdi, 2012 – holotype: loc. 228, paratypes: loc. 211.

Mollusca.

Balcanodiscus (Balcanodiscus) danyii Erőss, Fehér & Pál-Gergely, 2011 – holotype: loc. 87.

Diplopoda.

Megaphyllum danyii Lazányi & Korsós, 2012 – holotype: loc. 144.

Megaphyllum (Megaphyllum) cygniforme Lazányi & Korsós, 2012 – holotype: loc. 82, paratype: loc. 62.

Megaphyllum (Cyphobrachyiulus) digitatum Lazányi & Korsós, 2012 – holotype: loc. 156.

Collembola.

Hypogastrura peloponnesica Dányi, 2013 – holotype: loc. 150.

Plecoptera.

Brachyptera kontschani Murányi, 2011 – holotype: loc. 151, paratypes: loc. 140, 144, 148.

Perlodes floridus floridus Kovács & Vinçon, 2012 – paratypes: loc. 17, 18, 20.

Trichoptera.

Drusus muranyorum Oláh, 2010 – holotype: loc. 87.

Diptera.

Hesperinrus graecus Papp, 2010 – holotype: loc. 31.

Acari

Phthiracarus duplex Mahunka & Mahunka-Papp, 2010 – holotype: loc. 93.

Lauroppia (Lauroppia) brevisimile Mahunka & Mahunka-Papp, 2010 – holotype: loc. 141.

Oribellopsis grecus Mahunka & Mahunka-Papp, 2010 – holotype: loc. 93.

Oribatella valeriae Mahunka & Mahunka-Papp, 2010 – holotype: loc. 141.

Zygoribatula longa Mahunka & Mahunka-Papp, 2010 – holotype: loc. 147, paratypes: loc. 175.

Trachytes parnonensis Kentschán, 2010 – holotype: loc. 99.

Uroobovella graeca Kentschán, 2010 – holotype: loc. 48, paratypes: loc. 36, 51.

Cilliba vellas Kentschán, 2010 – holotype: loc. 1.

Prozercon achaeanus Ujvári, 2011 – holotype: loc. 4, paratype: loc. 8.

Prozercon dramaensis Ujvári, 2011 – holotype: loc. 43, paratypes: loc. 48, 55.

Prozercon graecus Ujvári, 2011 – holotype: loc. 179, paratypes: loc. 34, 36, 42, 43, 48, 51, 55, 75, 82, 173.

Prozercon morazae Ujvári, 2011 – holotype: loc. 158, paratypes: loc. 140.

Prozercon norae Ujvári, 2011 – holotype: loc. 5, paratype: loc. 171.


Acknowledgements – Field work was supported by the Hungarian Scientific Research Fund (OTKA 72744, OTKA-NNF 78185) and the National R&D Programme (3B023-0-4).

REFERENCES

- DÁNYI, L. (2010): Review of the genus *Bilobella* Caroli, 1912 in the Balkan Peninsula with description of a new species (Collembola: Neanuridae). *Zootaxa*, 2605: 27–44.
DÁNYI, L. (2013): An undescribed collembolan species swarming on the Peloponnese (Greece). *Opuscula Zoologica Budapest*, 44(Suppl.): 157–166.

- ERŐSS, Z. P., FEHÉR, Z. & PÁLL-GERGELY, B. (2011): A new species of *Balcanodiscus* Riedel & Urbánski 1964 (Gastropoda: Pulmonata: Zonitidae) from northeastern Greece. *Journal of Conchology*, 40(6): 577–581.
- FEHÉR, Z., DELI, T. & SÓLYMOS, P. (2010): Revision of *Granaria frumentum* (Draparnaud 1801) (Mollusca, Gastropoda, Chondrinidae) subspecies occurring in the eastern part of the species' range. *Journal of Conchoogy*, 40: 201–217.
- KONTSCHÁN, J. (2010): Taxonomical and faunistical studies on the Uropodina mites of Greece (Acari: Mesostigmata). *Opuscula Zoologica Budapest*, 41(1): 29–38.
- KONTSCHÁN, J. (2013): Uropodina mites of the Balkan Peninsula (Acari: Mesostigmata). *Opuscula Zoologica Budapest*, 44(Suppl.): 97–131
- KOVÁCS, T. & MURÁNYI, D. (2008): New data on genus *Besdolus* from the Balkan Peninsula (Plecoptera: Perlodidae). *Illiesia*, 4(9): 91–93.
- KOVÁCS, T., VINÇON, G., MURÁNYI, D. & SIVEC, I. (2012): A new *Perlodes* species and its subspecies from the Balkan Peninsula (Plecoptera: Perlodidae). *Illiesia*, 8(20): 182–192.
- KUTHY, D. (1907): Insectorum messis in Insula Creta a Lud. Biró congregata. I. Orthoptera. *Annales historico-naturales Musei nationalis hungarici*, 5(2): 551–555.
- LAZÁNYI, E., VAGALINSKI, B. & KORSÓS, Z. (2012): The millipede genus *Megaphyllum* Verhoeff, 1894 in the Balkan Peninsula, with description of new species (Myriapoda: Diplopoda: Julida: Julidae). *Zootaxa*, 3228: 1–47.
- LOPAU, W. (2010): Bisher unveröffentlichte Libellenbeobachtungen aus Griechenland IV (Odonata). *Libellula*, Suppl. 10: 155–260.
- MAHUNKA, S. & MAHUNKA-PAPP, L. (2010): New and little known Oribatid mites from the Carpathian Basin and the Balkan Peninsula (Acari: Oribatida). *Acta Zoologica Academiae Scientiarum Hungaricae*, 56(3): 211–234.
- MALICKY, H. (2005): Die Köcherfliegen Griechenlands. *Denisia*, 17: 1–240.
- MURÁNYI, D. (2007): New and little-known stoneflies (Plecoptera) from Albania and the neighbouring countries. *Zootaxa*, 1533: 1–40.
- MURÁNYI, D. (2011): The genus *Brachyptera* Newport (Plecoptera: Taeniopterygidae) in the Peloponnes, Greece. *Zootaxa*, 2977: 61–68.
- MURÁNYI, D. (2013a): Poorly-known phalangiid harvestmen (Opiliones: Phalangoidea) from the Balkans. *Opuscula Zoologica Budapest*, 44 (Suppl.): 139–156
- MURÁNYI, D. (2013b): Data to three insect orders (Embiidina, Dermaptera, Isoptera) from the Balkans. *Opuscula Zoologica Budapest*, 44 (Suppl.): 167–186.
- OLÁH, J. (2010): New species and new records of Palaearctic Trichoptera in the material of the Hungarian Natural History Museum. *Annales Historico-Naturales Musei Nationalis Hungarici*, 102: 65–117.
- PAPP, L. (2010): A study on *Hesperinus* Walker with description of a new species (Diptera: Hesperiidae). *Acta Zoologica Academiae Scientiarum Hungaricae*, 56(4): 347–370.
- SCHMALFUSS, H. (2008): The terrestrial isopods (Isopoda: Oniscidea) of Greece. 25th contribution: The genus *Armadillidium* (Armadillidiidae) in the provinces Macedonia and Thrace. *Stuttgarter Beiträge zur Naturkunde A, Neue Serie*, 1: 153–201.
- SCHMALFUSS, H. (2010): The terrestrial isopods (Isopoda: Oniscidea) of Greece. 26th contribution: The genus *Armadillidium* (Armadillidiidae) in the province of Epirus. *Stuttgarter Beiträge zur Naturkunde A, Neue Serie*, 3: 1–31.
- SZEDERJESI, T. & CSUZDI, Cs. (2012): New and little known earthworm species from Greece (Oligochaeta: Lumbricidae, Acanthodrilidae). *Zootaxa*, 3304: 25–42.
- SZIRÁKI, Gy. (2013): Data to the Psocoptera fauna of Balkan Peninsula and two Aegean islands. *Folia historico-naturalia Musei Matraensis*, 37: in press.
- UVÁRI, Zs. (2011): Six new species of *Prozercon* Sellnick, 1943 (Acari, Mesostigmata, Zerconidae) from Greece, with remarks on the genus. *Zootaxa*, 2785: 1–31.

Supporting online material: Appendix 1 (http://opuscula.elte.hu/PDF/Tomus44_2/Muranyi_App1.pdf)



Figures 1–4. Collecting sites in Greece (altitudes above 500, 1000 and 2000 meters are shaded in different grey). 1 = Localities on the mainland, Lefkada, Peloponnes and Crete; 2 = Localities on Naxos; 3 = Localities on Karpathos; 4 = Localities on Rhodes.